PLANET GRANITE

1405 NW 14th AVENUE, PORTLAND, OR

PERMIT #12-204811 LU

DESIGN REVIEW APPLICATION SET 9 NOV 2012

REVISON 3 - 4 FEB 2013

DR.18

BUILDING SECTIONS



SITE LOCATION MAP



•	2B 2U13	
	DRAWING	INDEX:
	DR.1	TITLE SHEET
	DR.2	SITE AERIAL
	DR.3	CONTEXT AND CHARACTER
	DR.4	RENDERED ELEVATIONS
	DR.4a	RENDERED ELEVATIONS
	DR.4b	ENLARGED BUILDING ENTRY ELEVATIONS
	DR.5	PERSPECTIVE RENDERINGS
	DR.5a	PERSPECTIVE RENDERINGS
	DR.5b	PERSPECTIVE RENDERINGS
	DR.6	WALL PANEL SYSTEM
	DR.6a	WALL PANEL SYSTEM
	DR.6b	WALL PANEL SYSTEM
	DR.6c	WALL PANEL CONSTRUCTION DETAILS
	DR.6d	WALL PANEL CONSTRUCTION DETAILS
	DR.6e	ROOF SYSTEM
	DR.6f	ROOF CONSTRUCTION DETAILS
	DR.6g	TRANSLUCENT WALL PANEL SYSTEM
	DR.6h	TRANSLUCENT WALL PANEL SYSTEM CONSTRUCTION DETAILS
	DR.6i	WINDOWS / ENTRY DOORS
	DR.6j	CONCRETE MASONRY UNITS - PERVIOUS PAVERS
	DR.6k	OVERHEAD PANEL AND COILING DOORS
	DR.6l	BIKE RACKS / BUILDING LIGHTING
	DR.6m	ROOF HATCH / WALL VENTILATION LOUVERS
	DR.6n	AWNING AND CANOPY DETAILS
	DR.7	SITE PLAN / ROOF PLAN
	DR.7a	UTILITY PLAN
	DR.8	GROUND LEVEL PLAN
	DR.9	SECOND LEVEL PLAN
	DR.10	THIRD LEVEL PLAN
	DR.11	LANDSCAPE PLAN
	DR.12	KEYED ELEVATIONS
	DR.13	KEYED ELEVATIONS
	DR.14	KEYED ELEVATIONS
	DR.15	KEYED ELEVATIONS
	DR.16	GLAZING CALCULATIONS
	DR.17	BUILDING SECTIONS

GRANITE

ANET

PGP

REVIEW

9 NOV 2012

R1 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013

DR.1

TITLE SHEET



BUILDING LOCATION

EXISTING RESIDENTIAL BUILDINGS

EXISTING COMMERCIAL BUILDING

PGP DESIGN REVIEW 9 NOV 2012

GRANITE

R1 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013

DR.2

SITE AERIAL

SITE AERIAL

















PLAN厚丁 GRANIT层 1405 NW 14th Portland, OR 97209 PERMIT #12-204811 LU

PGP

DESIGN
REVIEW

R1 19 NOV 2012 R2 19 DEC 2012 R3 04 FEB 2013

9 NOV 2012

Revisions

DR.3

CONTEXT AND CHARACTER



EAST ELEVATION




SOUTH ELEVATION

GRANITE PLANET PGP DESIGN REVIEW 9 NOV 2012 R1 19 NOV 2012 R2 19 DEC 2012 R3 04 FEB 2013 DR.4

> RENDERED ELEVATIONS



WEST ELEVATION



NORTH ELEVATION







FOSLER

"O r r I a m a

architecture
1930 NW LOVEJOY STREET
PORTLAND, OPEGON 97209

GRANITE

KINGSPAN METAL WALL PANEL COPPER PENNY - REF. SHEET DR.6

GALVANIZED METAL CANOPY WITH TRANSLUCENT GLASS PANELS - REF. SHEET DR.6n

KINGSPAN METAL WALL PANEL \
SPARTAN BRONZE - REF. SHEET DR.6b



GALVANIZED STEEL TUBE COLUMN - CONCRETE BASE

ALUMINUM STOREFRONT SYSTEM REF. SHEET DR.6i

1.5" DIA. STAINLESS STEEL HANDRAIL

GROUND FACE CMU SANDSTONE - REF. SHEET DR.6j

GALVANIZED STEEL BIKE RACKS - REF. SHEET DR.6

CONCRETE STAIRS AND RAMP

GROUND FACE CMU CHARCOAL - REF. SHEET DR.6j

DR.4b

PGP

DESIGN REVIEW

9 NOV 2012

R1 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013

ENLARGED BUILDING ENTRY ELEVATIONS





FOSLER

| portTand |
architecture |

PLANET GRANITE

PGP DESIGN REVIEW

9 NOV 2012

R1 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013

Revisions

DR.5a

PERSPECTIVE RENDERINGS



FOSLER

portland

architecture

1930 NW LOVEJOY STREET

PLANET GRANITE

PGP
DESIGN
REVIEW

9 NOV 2012

R1 19 NOV 2012 R2 19 DEC 2012 R3 04 FEB 2013

R3 04 FEB 2

DR.5b

PERSPECTIVE RENDERINGS



HORIZONTAL EXTERIOR SIDING:

KINGSPAN INSULATED WALL PANEL SYSTEM
KS SERIES MICRO-RIB PATTERN - 3" PANEL THICKNESS
COLOR: COPPER PENNY

Performance testing and approvals

Kingspan insulated panels meet specific building envelope performance criteria and requirements stipulated by US and Canadian building codes. Panels are tested in accordance with UL, ULC, FM and ASTM approval standards, testing methods and procedures. Kingspan insulated panels are listed by FM Global and Warnock Hersey.

Procedure	Results
FM-4880	Passed: Class 1 Fire Rating of Insulated Wall or Wall and Roof / Ceiling Panels, Interior Finish Materials or Coatings, and Exterior Wall Systems
ASTM E84	Flame spread <25, smoke developed <450
CAN/ULC-S101	Fire endurance tests: 10 min and 15 min stayed in place
CAN/ULC-S102	Flame spread: 20, Smoke developed: 350 for panel with facings
CAN/ULC-S127	Flame spread <500 for foam core
ULC/ORD-C376	Passed: Fire growth of foamed plastic insulated building panels in a full scale room configuration
CAN/ULC-S134	Passed: Standard method of test for fire of exterior wall assemblies
NFPA 259	Tested for potential heat of building materials
NFPA 268	Passed; Standard test method for determining ignitability of exterior wall assemblies using a radiant heat energy source
NFPA 285	Passed: Standard Fire Test Method for Evaluation of Fire Propagation Characteristics of Exterior Non-Load-Bearing Wall Assemblies Containing Combustible Components.
FM-4881	Passed: Class +110/-154 Zone H Class +100/-140 Zone HM - LM
ASTM E72	Vacuum chamber tested. Panel load / span and deflection tables are available
ASTM C518	R-value per inch = 7.5 h-ft²-°F/Btu-in
ASTM E283	0.003 CFM/ft² of Panel Area at 6.24 psf
ASTM E331	No uncontrolled water penetration at 20 psf differential pressure
AAMA 501.1	Dynamic water pressure testing – no sign of water leakage at 15 psf
Cyclic test to positive and negative wind loading to ± L/180 deflection	The panels exceeded 2 million alternate cycles without failure or damage
ASTM D1623	Panels tested for tensile bond strength of metal to foam
	Sample placed in an autoclave device and pressurized to 2 PSI at 212 °F for 21/2 hours
	ASTM E84 CAN/ULC-S101 CAN/ULC-S102 CAN/ULC-S127 ULC/ORD-C376 CAN/ULC-S134 NFPA 259 NFPA 268 NFPA 285 FM-4881 ASTM E72 ASTM C518 ASTM E283 ASTM E331 AAMA 501.1 Cyclic test to positive and negative wind loading to ± L/180 deflection

Weight Table

KS Series

	WEIGHT PER SQ. FT.		
	26 GA / 26 GA	24 GA / 26 GA	24 GA / 24 GA
PANEL THICKNESS			
2*	2.30	2.49	2.66
2.5*	2.41	2.60	2.78
3"	2.50	2.69	2.86
4"	2.70	2.89	3.06
5*	2.89	3.08	3.26
6*	3.08	3.26	3,44



Copper Penny SR:0.48 E:0.84 SRI:54

OSLER

portland

rchitecture

ANET GRANITE
NW 14th

DESIGN REVIEW

9 NOV 2012

R1 19 NOV 2012


R2 19 DEC 2012
R3 04 FEB 2013

PGP

Revisions

DR.6

WALL PANEL SYSTEM



VERTICAL EXTERIOR SIDING:

KINGSPAN INSULATED WALL PANEL SYSTEM
300R SERIES STRIATED PATTERN - 3" PANEL THICKNESS
COLOR: REGAL WHITE

200, 300, 300A, 300GS, 300R Series

Wall Panels

BUILDING CODE COMPLIANCE

Kingspan 200, 300 and 400 Series panels have been independently evaluated and found to be in compliance with the 2003 International Building Code. Evidence of compliance is found in ICC-ES Report number ESR-1143.

IRE

Full Scale Corner: Factory Mutual conducted the Building Corner Fire Test (FM 4880) for wall-ceiling construction. Kingspan 200, 300 and 400 Series panels have been approved for Class 1 fire classification with no height restriction subject to the conditions of approval as described in FM Report J.I.3006144.

Surface Burning Characteristics: The panel core was tested in accordance with the ASTM E-84 Tunnel Test. The core meets the code requirements of:

Flame Spread < 25 Smoke Developed < 450

UL Canada has evaluated Kingspan wall panels and found them to be in compliance with UL Canada Standards S-101, 102 and 127. Kingspan 200, 300 and 400 Series wall panels do not require the use of intermediate stitch fastening. Evidence of compliance is found in current year UL Canada listing reports.

STRUCTURAL

Vacuum Chamber: The Kingspan 200, 300 and 400 Series panel assemblies were tested for positive and negative deflection and fastener pull-out in a vacuum chamber per the ASTM E-72 test method. The resultant values are used to derive allowable panel spans and fastener patterns.

THERMAL TRANSMISSION

Guarded Hot Box: The insulation properties of the Kingspan 200, 300, and 400 Series panels were tested in accordance with ASTM C-236/C-1363 Hot Box apparatus conducted on completed panel assemblies corrected for 15 MPH wind outside and still air inside.

Kingspan 200/300 Series:

2" R 17 U 0.0588 2.5" R 21 U 0.0476 3" R 25 U 0.0400 4" R 33 U 0.0303 5" R 41 U 0.0244 6" R 49 U 0.0204

Kingspan 400 Series:

2" R 18 U 0.0555 3" R 27 U 0.0362

VAPOR BARRIER

Air Infiltration: The Kingspan 200, 300 and 400 Series tongue and groove joints have been tested in accordance with the ASTM E-283 test method. Tests were conducted on completed panel assemblies including horizontal and vertical joints.

0.0 CFM/FT of Panel Joint at 6.24 PSF

0.0 CFM/FT2 of Panel Area at 6.24 PSF

0.0 CFM/FT of Panel Joint Area at 20 PSF 0.0 CFM/FT² of Panel Area at 20 PSF

Water Penetration: The Kingspan 200, 300 and 400 Series tongue and groove joints have been tested in accordance

with the ASTM E-331 test method. Tests were conducted on completed panel assemblies including horizontal and vertical joints.

No Water Penetration at 6.24 PSF No Water Penetration at 20 PSF

BOND STRENGTH AND STABILITY

Fatigue Test: A sample section of panel was subjected to 2 million alternate cycles of 20 PSF positive and negative wind loading without metal/foam delamination or metal fatigue.

Skin Delamination: The panel was tested to determine the amount of force required to break the bond between the metal and foam. The result was no skin delamination with direct pull off pressure up to 1,188lb./ft².

Humidity Test: A sample section of panel was subjected to 100% relative humidity at 158°F for 28 days with no more than 3% maximum volume increase.

Weight Table

300R Series

		WEIGHT PER SQ. FT.	
	26 GA / 26 GA	24 GA / 26 GA	24 GA / 24 GA
PANEL THICKNESS			
2"	2.05	2.20	2.35
2.5*	2.13	2.28	2.43
3"	2.21	2.38	2.51
4"	2.34	2.51	2.68
5"	2.55	2.70	2.85
6"	2.72	2.87	3.02

Regal White SR:0.70 E:0.86 SRI:85 hitecture
hw. Love.Joy STREET
AND. GREGOM 97209

GRANITE

PLANET 億 1405 NW 14th Portland, OR 97209 PERMIT #12-204811 I

PGP


DESIGN REVIEW

9 NOV 2012

R1 19 NOV 2012
R2 19 DEC 2012
R3 04 FEB 2013

DR.6a

WALL PANEL SYSTEM



Specifications

Dimensions: Panel Width - 42" (36", 30" & 24" optional) / Panel Length - Minimum 8'-0"; Maximum 52'-0" Joint Configuration: Double tongue and groove interlocking rainscreen joint. Foamed-in-place polyisocyanurate (PIR) of 2.3-2.6 lbs./cu. ft. Insulation Core: Material: Exterior - 26, 24 or 22 Ga. Shadowline profiled embossed Galvalume® or G-90 galvanized pre-painted steel. Interior - 26 Ga, Shadowline profiled embossed Galvalume® or G-90 galvanized pre-painted steel. Finish Options: Exterior - Standard finish is Valspar® modified polyester high performance coating system. Valspar Fluropon® PVDF is a popular choice where extra protection against chalking and fade is desired. A wide range of color and finish options are available to enhance the aesthetic appeal. Interior - Standard finish is Valspar® modified polyester, USDA accepted and suited for most wash down environments. Valspar Fluropon® PVDF can also be used.

Regal White SR:0.70 E:0.86 SRI:85

Weight Table

KS Mineral Fiber

	WEIGHT PER SQ. FT. 26 GA / 26 GA		
PANEL THICKNESS			
4"	4.68	4.90	5.12
6"	6.20	6.42	6.64
8"	7.72	7.94	8.16

Spartan Bronze SR:0.31 E:0.85 SRI:31

VERTICAL EXTERIOR SIDING:

KINGSPAN INSULATED WALL PANEL SYSTEM KS AND MF SERIES SHADOWLINE PATTERN - 4" PANEL TH. NON-RATED PANELS, 6" PANEL TH. 2 HR FIRE RATING COLOR: SPARTAN BRONZE, REGAL WHITE



Kingspan MF™ insulated panels are made from a mineral wool core bonded with metal facings, suitable for fire rated wall applications. Available with a unique hidden fastener for increased aesthetic appeal.

Product Specification

6'-0" to 40'-0"

Panel Joint: Double tongue and groove interlocking rainscreen joint

24 or 22 Ga. Shadowline, Micro-Rib or V-Groove profiled embossed Galvalume® or G-90 galvanized

Cover Widths: 42"

Panel Thickness: 4" 6" R-value: 3.6 per inch

Standard 1/8" vertical and horizontal application 26 or 24 Ga. Shadowline profiled embossed



Kingspan MF™ Product code KS42MF*

Kingspan MFTM insulated panels are factory-assembled with a fire resistant mineral fiber core bonded with metal facings, suitable for fire rated wall applications, such as: exterior wall cladding, interior partitions, liners, demising walls and boundary walls. Panels achieve one, two or three hour fire resistance ratings and are available with a unique hidden fastener for increased aesthetic architectural appeal.

MANUFACTURING PROCESS:

Kingspan MF™ panels are factory-assembled on a continuous in-line method for optimum uniformity and quality. Top and bottom pre-painted and profiled steel facings are roll-formed and bonded mechanically with thermosetting adhesive to mineral fiber insulation. The core material is cut into lamella strips, and rotated 90 degrees for perpendicular fiber orientation.

INSULATION CORE:

Kingspan MF™ panels come with rigid, VOCs and CFCs free, high dimensional stability and moisture resistant mineral fiber insulation core that is bonded to steel facings. Panels are offered in thicknesses of 4", 6" and 8" providing an R-value of 3.6 per inch.

FACINGS:

The exterior face is available in 24 or 22 Ga. Shadowline, Micro-Rib or V-Groove profiled embossed G-90 galvanized or Galvalume[®] pre-painted steel. The interior face is standard 26 Ga. Shadowline profiled embossed G-90 galvanized or Galvalume" pre-painted steel.

FINISHES:

Kingspan offers a full spectrum of vibrant colors for every color scheme. The high performance coatings provide long-life protection, color and gloss retention. Custom color matching is available to meet individual building designs and creative freedom

PANEL DESIGN:

Kingspan MF™ panels utilize a superior double tongue and groove interlocking rainscreen joint design with a hidden fastener anchorage affording connection of both metal skins to the building structure. The insulation core is also trimmed in a tongue and groove profile shape to allow positive insulation to insulation contact. Field applied sealant provides excellent vapor barrier and weathertightness. Sealant is optional and is not required for fire rating. Panels are available in 42" standard width and in 6' to 40' lengths.

PERFORMANCE REQUIREMENTS AND PRODUCT LISTINGS:

Kingspan MF™ panels meet specific building envelope performance criteria and requirements stipulated by US and Canadian building codes. Panels are tested in accordance with UL, ULC and ASTM standards, testing methods and procedures. Kingspan MF™ Series panels as non-load bearing wall assembly are listed by Warnock Hersey under Design Number KIP-CWP 180-01 and KIP/PV 120-01

Test	Procedure	Results
Fire	UL-263 ASTM E119 CAN/ULC-S101 NFPA 251	Fire rating achieved 4" panel thickness = 1 hour 6" panel thickness = 2 hour 8" panel thickness = 3 hour
	CAN/ULC-S102 (Mineral Fiber Core)	Flame spread: 0 Smoke developed: 0
	ASTM E84 (Mineral Fiber Core)	Flame spread: 0 Smoke developed: 0
Thermal Performance / Resistance	ASTM C518	R = 3.6 °F,ft ² .h/BTU.in
Weather & Vapor Barrier	ASTM E283	Air leakage <0.001 CFM/sqft at 6.24psf pressure
	ASTM E331	No uncontrolled water penetration at 12psf differential pressure
	AAMA 501-94	Panel wall assembly meets air and water tightness criteria
Structural	ASTM E72	Vacuum chamber tested
Fire Penetration	ASTM E814 CAN/ULC S-115	Listed up to 30" dia. steel pipe through penetration
Bond Strength	ASTM D1623	Panels tested for tensile bond strength of metal to foam



GRANIT 1405 NW 14th Portland, OR 97209 **PERMIT #12-204811 L**

PGP


DESIGN


REVIEW


9 NOV 2012 R1 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013


DR.6b


WALL PANEL SYSTEM














DR.6c


WALL PANEL CONSTRUCTION


DETAILS














WP5


SIDING: KINGSPAN INSULATED WALL PANEL SYSTEM

CONSTRUCTION DETAILS













WP15





GRANIT

<u>Z</u>

, OR 97209 , #12-204811

1405 NW 1 Portland, 0

PGP

DESIGN

REVIEW

9 NOV 2012

R1 19 NOV 2012

R2 19 DEC 2012


R3 04 FEB 2013


DR.6d


WALL PANEL

DETAILS













Dimensions:	Panel Width – 42" / Panel Length – Minimum 10'-0"; Maximum 48'-0"
Joint Configuration:	Mechanically seamed 2" nominal sidelap
Insulation Core:	Foamed-in-place polyisocyanurate (PIR)
Slope:	For applications as low as 1/4;12
Material:	Exterior – 24 gauge stucco embossed steel, AZ50 Galvalume® / Zincalume®. 22 gauge steel is also available. Interior – 26 gauge stucco embossed steel, AZ50 Galvalume® / Zincalume® or G90 galvanized. 24 and 22 gauge steel or stainless steel are also available.
Finish Options:	A wide range of color and finish options are available to enhance the aesthetic appeal of the roof. Energy Star® and Cool Roof® (CRRC) ratings are available for many Kingspan standard colors – contact Kingspan for more information.

Test Data

KingZip Series

FIRE

Surface Burning Characteristics - The panel core was tested in accordance with the ASTM E 84 Tunnel Test. The core meets the code requirements of:

Flame Spread 25 or Less Smoke Developed 450 or Less

Toxicity Test - Kingspan panels are in compliance with the requirements for fire gas toxicity established by the state of New York, Article 15, Part 1120 of the New York State Uniform Fire Prevention Code.

STRUCTURAL

Factory Mutual 4471 Wind Uplift Resistance - The KingZip sample exceeded the 105 PSF (5.02 kPa) minimum FM Approvals requirement for Class 1-105 windstorm classification. A copy of this report is available upon request.

I 105 @ 5'-0" spans with minimum 14 gauge panel support purlins

I 60 @ 6'-0" spans with minimum 14 gauge panel support purlins

Vacuum Chamber - The KingZip panel assembly was tested for positive and negative deflection and fastener pull-out in a vacuum chamber per the ASTM E 72 test method. The resultant values are used to derive allowable panels spans and fastener patterns.

VAPOR BARRIER

Air Infiltration - The KingZip mechanically seamed 2" nominal sidelap joint has been tested in accordance with the ASTM E 283 test method. The test was conducted on a completed panel assembly including horizontal and vertical joints.

0.003 CFM/FT2 of Panel Area at 6.24 PSF

Water Penetration - The KingZip mechanically seamed 2" nominal sidelap joint has been tested in accordance with the ASTM E 331 test method. The test was conducted on a completed panel assembly including horizontal and vertical joints.

No Water Penetration at 20.0 PSF

OND STRENGTH

Fatigue Tests - A sample section of a Kingspan insulated panel was subjected to 2 million alternate cycles of 20 PSF positive and negative wind loading without metal/loam delamination or metal fatigue.

Humidity Test - A sample section of a Kingspan insulated panel was subjected to 100% relative humidity at 140°F for 1000 hours. There was no evidence of metal primer corrosion.

Autoclave Test - A sample section of a Kingspan insulated panel was placed in an autoclave device and pressurized to 2 PSI at 212°F for 2-1/2 hours. There was no evidence of detamination.

ROOFING:

KINGZIP INSULATED STANDING SEAM ROOF PANEL SYSTEM COLOR: REGAL WHITE



Performance testing and approvals

Kingspan insulated panels meet specific building envelope performance criteria and requirements stipulated by US and Canadian building codes. Panels are tested in accordance with UL, ULC, FM and ASTM approval standards, testing methods and procedures. Kingspan insulated panels are listed by FM Global and Warnock Hersey.

GRANIT

<u>Z</u>

 $\overline{\triangleleft}$

PGP

DESIGN REVIEW

9 NOV 2012

R1 19 NOV 2012 **R2** 19 DEC 2012


R3 04 FEB 2013


DR.6e


ROOF SYSTEM


1405 NW 14th Portland, OR 97209 **PERMIT #12-204811 LU**


Test	Procedure	Results
Fire	FM 4880	Class 1 Fire Rating of Insulated Wall or Wall and Roof/Ceiling Panels, Interior Finish Materials or Coatings, and Exterior Wall Systems
	ASTM E84	Flame Spread: 25 or Less Smoke Developed: 450 or Less
Toxicity Test	State of New York, Article 15, Part 1120 of the New York State Uniform Fire Prevention Code	Kingspan panels are in compliance
Wind Uplift	Factory Mutual 4471	1-105 @ 5'0" spans with minimum 14 gauge roof purlins 1-60 @ 6' spans with minimum 14 gauge roof purlins
	UL 580 Class 90 uplift rating	5'0" spans with minimum 14 gauge purlins
	UL 580 Class 90 uplift rating	Panels attached to 20 gauge decking with 3' o.c. fastening
Strength	ASTM E72 Chamber Method	Panel load / span and deflection tables are available
Thermal Transmission	ASTM C1363 Guarded Hot Box	2" R = 15 U = 0.0667 3" R = 24 U = 0.0417 4" R = 33 U = 0.0303 5" R = 41 U = 0.0244 6" R = 48 U = 0.0208
Air Infiltration	ASTM E283 and ASTM E1680	0.003 CFM/ft² of Panel Area at 6.24 psf
Water Penetration	ASTM E331 and ASTM E1646	No Water Penetration at 20.0 psf
Fatigue Test	Subjected to 2 million alternate cycles of 20 PSF positive and negative wind loading	No metal / foam delamination or metal fatigue
Humidity Test	Sample subjected to 100% relative humidity at 140 °F for 1000 hours	No evidence of metal primer corrosion
Autoclave Test	Sample placed in an autoclave device and pressurized to 2 PSI at 212 °F for 21/2 hours	No evidence of delamination
Skin Delamination		No skin delamination with direct pull off pressure up to 1188



















RP3 TYPICAL KINGZIP™ 1000 SERIES PANEL 14 GA. HIDDEN FASTENER CLIP (1 PER PANEL, PER GIRT) 1/2 - 14 HEX HEAD FASTENERS CONTINUOUS — BUTYL SEALANT OUTSIDE FOAM CLOSURE SET IN BUTYL TAPE TOP AND BOTTOM IELD FILL WITH COMPRESSIBLE SULATION (NOT BY KINGSPAN) TWO PIECE CLIP W/ THERMAL BREAK FLAT STOCK MATERIAL FIELD BREAK BY OTHERS) 1/2" - 14 HEX HEAD FASTENERS CONTINUOUS BUTYL SEALANT DETAIL #: CI-WR-01-1000 WALL TO ROOF Kingspan. www.kingspanpanels.us HIGH EAVE

www.kingspanpanels.us www.kingspanpanels.ca RP6



GRANIT / 14th , OR 97209 [#1**2-204811** [ANI 1405 NW 1 Portland, 0 **PGP** REVIEW 9 NOV 2012 **R1** 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013 DR.6f ROOF CONSTRUCTION DETAILS

ROOFING: KINGSPAN INSULATED ROOF PANEL SYSTEM

CONSTRUCTION DETAILS


Mega-Lock

New Aluminum Glazing System

- Esthetic
- Strong
- Water Proof
- · Easy Installation

Mega-Lock Glazing System is specially designed for use in glazing with 6 – 16 polycarbonate multi wall sheets in urban applications such as covered walkways, entrance-ways, parking spaces, bus stations and other similar applications.

Mega-Lock Glazing System has a rabbet depth of I" which enhances its fastening properties and prevents glazing failures due to wind and snow loads or



Polygal is the leading manufacturer of structured Polycarbonate sheets, and is known throughout the world for the outstanding quality of its products. Polygal was the first manufacturer in the world to create structured Polycarbonate sheets, and over the last 35 years has developed and produced a broad spectrum of these products, which are successfully covering a full array of structures worldwide.



4.3 Fire performance

Polygal has received high ratings in several major American & European 3rd Party Laboratories. More detailed information and official test reports are available from your local Service Center or authorized dealer. Much of this information can also be found on our website (www.polygalnorthamerica.com).

Flammability


Method	Classification*
BS 476/7	Class 1
DIN 4102	B-1 (10&16 mm)
NSP 92501	M-1, M-2
ASTM D-635	CC-1
ASTM-E-84	Class A
EN 13501	B, s1, d0

*Classifications depend on sheet type and thickness.

3.1 Solar gain:

The most common misconception in translucent materials is that in order to reduce the sun's heat we must reduce the light transmission whereas the value which determines the amount of solar heat is SHGC (solar heat gain coefficient or solar gain).

SHGC indicates how much of the sun's energy striking the sheet is transmitted as heat. As the SHGC increases, the solar gain potential through a given sheet increases.



A sheet with a SHGC of 0.6 will admit twice as much solar heat gain as one with a SHGC of 0.3.

The importance of the SHGC can be seen in the following table which compares two colors:

Sheet Color	LT [by ASTM D 1003]	SHGC
10mm Primalite	45 %	0.38
10mm ICE	32 %	0.48

It can be seen in the table that although the special color Primalite brings more light than the loe color... it ultimately transfers less solar heat. This fact does not fit with the common sense which tells us that the Primalite will bring more heat than the loe since it brings more light.

2. Thermal properties

2.1 Service temperature and Thermal expansion

Service Temperature

Polygal multiwall polycarbonate can be installed in a diversity of applications, with varying temperatures. However, the material's mechanical performance is known to remain stable in prolonged service in temperatures ranging from -40°F to +240°F. PVC has a maximum service temperature of 140°F while acrylic is 176°F.

Thermal Expansion

The coefficient of linear expansion of polycarbonate material is 6.7x10⁻⁵m/m•°C. This is high relative to that of most other materials in conjunction with which it is normally used. As a consequence careful allowance must be made for the thermal expansion of Polygal polycarbonate multi wall sheets, both longitudinally and laterally.

In practical terms it is necessary to allow ~1/4" per 4' length or width for thermal expansion.

2.2 Thermal Insulation and the U-Value


Thermal Insulation definition is the resistance to heat transfer as a result of temperature differences between two material bodies.

In the case of MWPC (multi-wall polycarbonate) the Thermal insulation is important in application in which there is a difference between the outside to the inside air temperature.


Examples for of thermal insulation can be seen in applications with closed structures such as sunrooms and indoor swimming pools. Whereas in roofing for open structures, such as bus shelters and/or a canopies... the thermal insulation has no meaning.

U or R-Value is the coefficient which determines heat loss in the glazing walls of a building. As the U-Value decreases... the thermal insulation increases.

Definition: Heat will flow through a wall of 1 square meter at a temperature difference of one degree Celsius between the two environments.



Structure	Thickness	R-Factor- BTU (h/ft2/F)
	4	1.449
	6	1.587
	8	1.667
	10	1.887



DR.6g

GRANIT

<u>Z</u>

PGP

DESIGN

REVIEW

9 NOV 2012


R1 19 NOV 2012 **R2** 19 DEC 2012


R3 04 FFB 2013

TRANSLUCENT
WALL PANEL
SYSTEM


TRANSLUCENT WALL PANELS:

POLYGAL TRANSLUCENT WALL PANEL SYSTEM 10MM (3/8") THICKNESS, 48" WIDE PANELS COLOR: POLYSHADE SILVER




















CONSTRUCTION DETAILS

SCALE: N.T.S.



PPG SOLARBAN 70XL LOW-E INSULATED GLAZING, CLEAR (OR EQUAL) - TRANSLUCENT GLASS AT LOCKER ROOM EXTERIOR WINDOWS



GROUND FACE AND STANDARD FINISH

COLORS: CHARCOAL, SANDSTONE

Eco-Priora® Permeable Interlocking Concrete Paver

Eco-Priora* is an environmentally beneficial paving system designed to reduce stormwater runoff from residential, municipal, and commercial pavements. Eco-Prioraº permeable pavements are a sitescale infiltration technology that is ideal for meeting NPDES regulations, LID and Smart Growth objectives, LEED* certification impervious cover restrictions, and green building requirements.

- Can be designed to accommodate a wide variety of stormwar
- Runoff volume reductions of up to 100% depending on project
- Maximizes groundwater recharge and may be used for rain water harvesting for re-use
- Reduces nonpoint source pollurants in stormwater, thereby mitigating impact on surrounding surface waters, and may lessen or eliminate downstream flooding/streambank erosion
- Allows better land-use planning and more efficient use of available land for greater economic value, especially in highdensity, urban areas
- May decrease project costs by reducing or eliminating drainage
- May reduce cost of compliance with stormwater regulatory requirements and lower utility fees
- May reduce heat island effect and thermal loading on surrounding surface waters
- Are an EPA-recommended Best Management Practice

Eco-Priora* offers the same attributes and features of our other UNI* permeable pavers with the added benefit of patented, interlocking spacers. These interlocking spacers offer superior structural stability under loading when compared to other rectangular-shaped permeable pavers on the market. Eco-Priora's' joints are filled with aggregate to facilitate the infiltration of stormwater runoff. The minimal chamfer and narrower joints make Eco-Priora* ideally suited to pedestrian and ADA pavement applications. Eco-Priora* may be mechanically installed for added cost savings.

For information on design and construction, please consult the UNI Eco-Stone® Family of Permeable Interlocking Concrete Pawers Design Guide and Research Summary.



PERVIOUS PAVERS:

PERVIOUS PAVERS

UNI-GROUP

'ECO-PRIORA

8"X8" OR 4"X8"

UNI-GROUP U.S.A. - National Headquarters Office 4362 Noshhike Bhd - Sainz 244 + Pall Beach Garden, FL 33410 (561) 626-4666 + FAX (561) 627-640) + 1-800-872-1864 www.uni-groupus.org + E-mail: info@uni-groupus.org





Pavers per sq ft = 3.28Maximum water absorption - 5% Meets or exceeds ASTM C-936 and freeze-thaw testing per section 8 of ASTM C-67 Note: Eco Priora may be made in different size rectangles and equares Check with your local manufacturer for sizes and shapes.

Eco-Priora" pavers are ideal for residential, municipal, and commercial applications, such as walkways, patios, driveways, courtyards, plazas, retail areas, entry areas, parking lots, and streets. It can be installed in a number of patterns such as herringbones, running bond, and basketweaves.

Eco-Priora* pavement infiltration rates can be maintained by periodic street sweeping/vacuuming. Replenish joint and drainage void aggregate as needed when cleaning,

GRANIT

PGP DESIGN **REVIEW**

/ 14th , OR 97209 [#12-204811 LU

R1 19 NOV 2012 **R2** 19 DEC 2012 R3 04 FEB 2013

9 NOV 2012

DR.6j

CMU **PERVIOUS PAVERS**

PERVIOUS PAVERS: UNIGROUP "ECO-PRIORA" **PERVIOUS PAVERS**



to 16'2" wide and 16'1" high (4928 mm Panel thickness Maximum standard width 1 3/4" (45 mm) 16'2" (6147 mm) and 4902 mm). Featuring a narrow center stile width of 21/32" (17 mm), these doors are 16'1" (4902 mm) 6063-T6 ity. An array of glazing choices, top- and bot-tom-rail widths, finishes and special options 204R-1 customizes the 511 Series to satisfy nearly Center stile width End stile width 21/02" (17 mm) 2/3/4" (79 mm) any project requirement.

Bottom, flexible

Argie Massai puli rope


or 1/4" (6 mm) piexiglass: 1/8" (3 mm) or 1/4" (6 mm)

Top mil width

Panel Schodule Door Width Number of Panels		Section Schedule	
		Door Height	Number of Sections
to 811* (2718 row)	2	tu 6'6' (259') mmil	7.6
9101 so 111111 (2743 mm to 3632 mm)	_i_	87" to 10" I 2616 mm to 3073 mml	
12°0" to 14"11" (3658 mm to 4547 mm)	4	102" to 12"F (3099 mm to 3689 mm)	6
15°0" to 16°2" (#572 mm to 4925 mm)	5	12'2" to 14"7 (3708 mm to 4293 mm)	7.1
		147° to 161° (8318 mm to 4902 mm)	8




Standard Lift Track



2" (51 mm) Track [15" (381 mm) Radius]			
Door Height	Centerline of Shaft	Minimum Headroom	
Thru 12'0" (3658 mm)	O.H. + 11 5/8" (295 mm) 14 1/4" (362 mm)		
Thru 16'0" (4877 mm)	O.H. + 12 5/8" (321 mm)	20 1/2" (521 mm)	
3" (76 mm) Track [15" (381 mm) Radius]			
Thru 18'0" (5486 mm)	8'0" (5486 mm) O.H. + 14 5/8" (372 mm) 18" (457 mm)		
Thru 32'0" (9754 mm)	O.H. + 16 7/8" (429 mm)	21 1/2" (546 mm)	


Full Vertical Track



2" (51 mm) Track [15" (381 mm) Radius]		
Door Height	Centerline of Shaft	Minimum Headroom
Thru 11'0" (3353 mm)	O.H. + O.H. + 3/8" (10 mm)	O.H. + 10 1/4" (260 mm)
Thru 16'0" (4877 mm)	O.H. + O.H. + 3/8" (10 mm)	O.H. + 10 1/4" (260 mm)
3" (76 mm) Tra	ck [15" (381 mm) Radius]	
Thru 18'0" (5486 mm)	O.H. + O.H. + 3/8" (10 mm)	O.H. + 10 1/4" (260 mm)



MILL FINISH ALUMINUM



OVD1 OVD2

OVERHEAD PANEL DOORS WITH GLAZING:

OVERHEAD DOOR CORP. (OR EQUAL) 511 SERIES ALUMINUM AND GLASS PANEL DOOR COLOR: MILL FINISH ALUMINUM; CLEAR GLASS

OVD3

OVERHEAD STEEL PANEL AND STEEL COILING DOORS:

OVERHEAD DOOR CORP. (OR EQUAL) SERIES 620 COILING STEEL DOOR **COLOR TO MATCH TRANSLUCENT PANEL SYSTEM**

GRANIT **PGP DESIGN REVIEW** 9 NOV 2012 **R1** 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013 DR.6k

> OVERHEAD PANEL AND

COILING DOORS



TRADITION.


The HP Rack

INNOVATION.

Each unit is constructed of 2.375"(6.0 cm)O.D. 2"(5.0 cm)I.D. x 0.154"(.39 cm) wall ASTM A53 schedule 40 steel pipe

- The HP is 36"(91.4 cm) or optional 42"(91.4 cm) high x 30"(76.2 cm) wide.
- Mounting Options (see detail)
 - Flange Mount Free-Standing In-Ground
- Choice of four finishes:
 - Hot Dipped Galvanized
 - Powder Coating (weather resistant Polyester TGIC, 6-8 mils thick) in an unlimited range of colors.
 - ASTM A314 schedule 40 TP304 Stainless Steel, #4 Satin Finish.
 - Thermoplastic Coating (10-12 mils thick) in red, black, green, blue, gray, white, yellow and brown.






Call HUNTCO at 1.800.547.5909 or 503.224.8700 Fax HUNTCO at 503.274.2055 Visit our website at www.huntco.com or see us at www.sweets.com

BIKE RACKS:

HUNTCO SITE FURNISHINGS THE HP RACK HOT DIPPED GALVANIZED FINISH




BUILDING WALL LIGHTING:

IO LIGHTING PLANE MARKER RECESSED WALL FIXTURE COLOR: STAINLESS HOUSING WITH WHITE PERIMETER LIGHTING

	Finish				Dimensions (Inches)	
Catalog No.	Bronze	White	Black	Lamping	Α	В
P5774	-20	-30	-31	1-75PAR30	5	6-1/2
				or BR30		

The plane marker is an LED-based luminaire that casts light from the edge of the



Specifications:

General

• One piece Aluminum construction with sealed top

plane

- Powder coat Bronze (-20), White (-30) or Black (-31) outer finishes
- Interior finish matches exterior finish

Mounting

- Ceiling mount
- Covers standard outlet box

- Medium based ceramic socket with
- nickel plated brass screw shell
- Pre-wired

<u>Labeling</u>

• UL-CUL wet location listed

BUILDING SOFFIT LIGHTING (AT MAIN ENTRY): PROGRESS LIGHTING (OR EQUAL) SURFACE MOUNTED CYLINDER FIXTURE

COLOR: BRONZE



BUILDING

LIGHTING








Type S & Type E

Provides access to roof area by means of a fixed interior ladder.



ROOF HATCH AND LADDER:

BILCO (OR EQUAL) ROOF HATCH, PERSONNEL ACCESS WITH FIXED WALL LADDER **GALVANIZED STEEL**




Three Generations of Quality Metal Products

MODEL MAF 2W - Fixed Blade Extruded Louvers 36.75mm (1⁷/₁₆") Flange with 51mm (2") Deep Frame



MAXAM louvers are aesthetically pleasing and allow air flow to designated areas, while providing for weather protection. MAXAM louvers are fabricated from extruded aluminum, making them lightweight and durable for easy handling. The flange style covers the the rough opening edge.



Materials

Extruded aluminum Type 6063-T5 Frame - 1.80mm (.0708") Blades - 1.60mm (.0630")

Standard

Optional Finishes

Prime coat

Powder coated

Blades

Storm-resistance blades angled at

Frame Depth

51mm (2") deep Flange Width

36.75mm (17/16") wide

Fasteners Cadmium plated

Screen

Standard

Galvanized bird screen

Optional Screens

Insect screen Aluminum bird screen

Ordering

Please order by rough opening size. Louvers are non-returnable

Optional Assembly

Frames and blades welded in position

WALL VENTILATION LOUVERS:

MAXAM METAL PRODUCTS (OR EQUAL) FIXED BLADE EXTRUDED LOUVER **ALUMINUM MILL FINISH**

GRANIT <u>Z</u>


> **PGP DESIGN REVIEW** 9 NOV 2012

R1 19 NOV 2012 **R2** 19 DEC 2012


R3 04 FEB 2013


DR.6m


ROOF HATCH / VENTILATION LOUVERS



SECTION DETAIL @ WINDOW AWNING







DETAIL @ GROUND FLOOR CANOPY / SOFFIT / COLUMNS

SECTION DETAIL @ GROUND FLOOR CANOPY

SCALE: N.T.S.

AWNING AND

DR.6n

GRANITE

ANET

PGP


DESIGN REVIEW


9 NOV 2012


R1 19 NOV 2012 R2 19 DEC 2012 R3 04 FEB 2013


1405 NW 14th Portland, OR 97209 **PERMIT #12-204811 LU**


CANOPY DETAILS



















TYPICAL HORIZONTAL PANEL JOINT SHOWING CONCEALED FASTENERS





EXTRUDED VERTICAL JOINT DETAIL






TYPICAL GUTTER DETAIL

NOTE: ALL WALL AND ROOF PANELS HAVE CONCEALED FASTENERS. PANEL JOINTS ARE SHOWN; JOINTS AND **EMBOSSED METAL PANEL FACE PATTERNS FORM ALL** PATTERN ON WALLS AND ROOF. BOTTOM EDGE OF WALL PANELS AT CMU HAS **EXTRUDED TRIM PIECE WITH** CONCEALED FASTENERS.



TYPICAL SILL DETAIL



EXTRUDED BASE TRIM DETAIL




GRANITE


PGP **DESIGN** REVIEW 9 NOV 2012


R1 19 NOV 2012 **R2** 19 DEC 2012 **R3** 04 FEB 2013

DR.12

KEYED **ELEVATIONS**







(0.9)

ROOF TOP UNITS

- KINGSPAN HORIZONTAL MICRO-RIB SIDING PANELS TYP. ____4

- ALUMINUM FRAMED STOREFRONT WINDOWS TYP.

WALL LIGHT FIXTURE

WEST ELEVATION

(1)

NOTE: ALL WALL AND ROOF PANELS HAVE CONCEALED FASTENERS. PANEL JOINTS ARE SHOWN; JOINTS AND EMBOSSED METAL PANEL FACE PATTERNS FORM ALL PATTERN ON WALLS AND ROOF. BOTTOM EDGE OF WALL PANELS AT CMU HAS EXTRUDED TRIM PIECE WITH CONCEALED FASTENERS.

KINGSPAN VERTICAL—STRIATED SIDING PANELS
TYP.

LOUVERED VENTILATION
ALUMINUM FRAMED
TRANSLUCENT WINDOWS

GROUND-FACE CMU—


GROUND-FACE CMU—


FRAMED OPENING DETAIL AT LOUVERS



KEYED ELEVATIONS


GRANITE






SOUTH ELEVATION SCALE: 1/16" = 1'-

GLAZIN	NG FRONTAGE CALCULATIONS	LINEAR = 107.75' / 199.3' = 54.1% AREA = 622 sf / 1792 sf = 34.7%
	OPENINGS W/ SILLS @ 48" OR LESS ABV GRADE	OPENINGS W/ SILLS @ 48" OR LESS ABV GRADE
	AREA OF FACADE ALONG STREET FRONT UP TO 9'	1792 sf
	QUALIFIED STREET FRONT GLAZING ALONG STREET FRONT BELOW 9'	622 sf



\bigcirc	WEST ELEVATION	32' 16' 8' 4' 0'
(\subset)		SCALE: 1/16" = 1'-0" @ 24" x 36"

GLAZING FRONTAGE CALCULATIONS	LINEAR = 50.0 / 99.33 lf = 50.3% AREA = 349 sf / 895 sf = 39%
OPENINGS W/ SILLS @ 48" OR LESS ABV GRADE	OPENINGS W/ SILLS @ 48" OR LESS ABV GRADE
AREA OF FACADE ALONG STREET FRONT UP TO 9'	895 sf
QUALIFIED STREET FRONT GLAZING ALONG STREET FRONT BELOW 9'	349 sf
ALONG STREET FRONT BELOW 9'	



32 16 8 4

SCALE: 1/16" = 1'-0" © 24" x 3

GLAZING FRONTAGE CALCULATIONS	LINEAR = 50.6' / 100.0' = 50.6% AREA = 325 sf / 894 sf = 36%
OPENINGS W/ SILLS @ 48" OR LESS ABV GRADE	OPENINGS W/ SILLS @ 48" OR LESS ABV GRADE
AREA OF FACADE ALONG STREET FRONT UP TO 9'	894 sf
QUALIFIED STREET FRONT GLAZING ALONG STREET FRONT BELOW 9'	325 sf

FOSLER

portland

architecture

1930 NW LOVEJOY STREET

PLANIT GRANIT层 1405 NW 14th Portland, OR 97209 PERMIT #12-204811 LU

PGP

DESIGN
REVIEW

9 NOV 2012

R1 19 NOV 2012 R2 19 DEC 2012 R3 04 FEB 2013

Revisions

DR.16

GLAZING CALCULATIONS

