

Bora



Bora

INDEX

Schedule C.3 Site Context C.6 The Site C.10 Building Plans C.12 Building Elevations C.16 Exterior Building Details C.25

PROJECT TEAM

Owner Sterling Bay Co. 1040 West Randolph St. Chicago, Illinois 60607

Project Manager: Paul Turilli pturilli@SterlingBay.com

Property Manager: Meg Hanley mhanley@SterlingBay.com

Architect
Bora Architects, Inc.
720 SW Washington, Suite 800
Portland, OR 97205

Contact: Leslie Cliffe Phone: 503 226 1575 Email: Cliffe@bora.co

Structural Engineer KPFF Consulting Engineers 111 SW Fifth Ave., Suite 2500 Portland, OR 97204

Contact: Anne Monnier Email: Anne.Monnier@kpff.com

Mechanical/Electrical/Plumbing Engineer PAE Engineers 522 SW 5th Ave., Suite 1500 Portland, OR 97204

Contact: Brad Wilson

Email: brad.wilson@pae-engineers.com

Bora


SCHEDULE


Bora

Project Schedule - Meier & Frank Building Redevelopment

Updated:

Thursday, May 11, 2017





Bora

SITE CONTEXT

Bora



FAR 12:1 base FAR = 480,000 SF

Max. height 460 F


Existing Site 40,000 SF

Existing FAR 592,000 SF

Existing Height 209'-8"

* No FAR or height revisions are proposed.

The site is zoned CX - Central Commercial, subject to Design Review. Building occupancy to be revised from Retail (M) to a mix of Retail (M) and Office (B). Office is an allowed use in the CX zone. Due to proximity to transit, there is no minimum parking requirement for the site (33.266.110.B.1). No parking is proposed.



Bora













- A Pioneer Square E Cascade Building
 B American Bank Building F Pioneer Place
 C Kress Building
 D Pioneer Courthouse

EA # 17-107025 June 20, 2017

exhibit

Bora















- A NW View from Pioneer SquareB NE View from Broadway St.C S EntranceD W Storefront

- E W Mid block EntryF N Loading DockG W Architectural Details

Bora

SITE PLAN

MEIER & FRANK Bora (E) HOTEL SERVICE SW ALDER ST (E) ALDER CANOPY, DEPTH **ELEVATORS** REDUCED TO 8' SERVICE LOADING ZONE (E) STREET LIGHT (E) STREET LIGHT STAIR/BIKE RAMP ACCESS (E) ELEC WEST BUS SHELTER (E) FREIGHT ELEVATOR OFFICE/RETAIL LOADING NE RETAIL NEW ENTRY DOOR & CANOPY @ NEW ENTRY DOOR & CANOPY @ (E) HISTORIC MID-BLOCK ENTRIES (E) HISTORIC MID-BLOCK ENTRIES **BUS SHELTER** SW 6TH AVE NEW RETAIL ENTRY ELEVATOR LOBBY **BUS SHELTER** HOTEL LOBBY MM HOTEL LOADING SW MORRISON ST MAX LIGHT RAIL EA # 17-107025

The Site


SITE PLAN

June 20, 2017


Bora

BUILDING PLANS


Bora



BASEMENT LEVEL PLAN



Bora






Bora

BUILDING ELEVATIONS


Bora





Bora





EAST ELEVATION

Bora





MORRISON ST

ALDER ST

6™ AVE

Key Plan

5тн АVЕ

Bora



ALDER ST 5™ AVE Key Plan MORRISON ST

See Exhibit C.24 for enlargement.

WEST ELEVATION

Bora



Louvers

	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0
	BEFORE	AFTER

B REMOVE (E) AWNING, REPLACE WITH NEW FASCIA PLATE

- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).
- (N) MECHANICAL LOUVERS

0' 10' 20' 40'

SOUTH ELEVATION - ENLARGED

Bora



Louvers

	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0
	BEFORE	AFTER

B REMOVE (E) AWNING, REPLACE WITH NEW FASCIA PLATE

- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).
- (N) MECHANICAL LOUVERS

0' 10' 20' 40'

EAST ELEVATION - ENLARGED

Bora



Louvers

	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0
	BEFORE	AFTER

B REMOVE (E) AWNING, REPLACE WITH NEW FASCIA PLATE

- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).
- (N) MECHANICAL LOUVERS

0' 10' 20' 40'

NORTH ELEVATION - ENLARGED

Bora




Louvers

	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0
	BEFORE	AFTER

B REMOVE (E) AWNING, REPLACE WITH NEW FASCIA PLATE

(N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).

(N) MECHANICAL LOUVERS




WEST ELEVATION - ENLARGED

Bora

EXTERIOR BUILDING DETAILS

Bora





(E) TERRACOTTA

NEW STOREFRONT LOCATION

WEST ENTRY & CANOPY

Bora





(E) TERRACOTTA


NEW STOREFRONT/ENTRY
LOCATION



EA # 17-107025 June 20, 2017

SOUTHWEST ENTRY & CANOPY


Bora



EAST ENTRY & CANOPY


02 SECOND FLOOR 119'-8" DEMO LEADING 4'0" OF CANOPY 01.5 FIRST FLOOR MEZZANINE 109'-8" 100'-0"

MEIER & FRANK Bora










2 CANOPY FRONT EDGE MODIFICATION

ALDER CANOPY MODIFICATIONS

Bora




CANOPY/STOREFRONT DETAILS


MEIER & FRANK Bora












*Actual material is anodized aluminum



NEW STOREFRONT JAMB - RELATIONSHIP TO (E) STOREFRONT IN NEXT BAY

STOREFRONT DETAILS

Bora





















NEW WINDOW HEAD AND SILL





Bora
















3 2017 - 2" LOUVER SILL, TRANSITION, HEAD



4) 2017 - 2" LOUVER JAMB

LOUVER DETAILS


Bora



O 1. Surface mounted LED luminaire 25-45W allowance



2. Cove mounted (Recessed) LED strip 6W/LF



Bora

EXISTING MATERIALS

- Terracotta
- Bronze panel
- Black canopies















NEW MATERIALS

- Glass and aluminum storefront systemGlass and painted steel canopies







Bora



EARLY CONCEPTUAL RENDERING - SE CORNER

Bora



Bora




EARLY CONCEPTUAL RENDERING - NW CORNER

Bora

APPENDIX

Bora



Louvers

	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0
	BEFORE	AFTER

EXISTING SIGNAGE = 86.8 SF NEW SIGNAGE = 188 SF TOTAL SIGNAGE = 274.8 SF

MAX ALLOWABLE = 300 SF MAX SIGN SIZE = 100 SF MAX EXTENDING SIGN SIZE = 30 SF MAX EXTENSION = 6.5 FT

SEE EXHIBIT C. 29 FOR SIGNAGE STANDARDS

- (E) 24x30" PLAQUE AT HISTORIC LOCAT.
- B REMOVE (E) AWNING, APPLY PIN MOUNTED (E) 11x16" PLAQUE AT HISTORIC LOCAT. SIGN TO NEW FASCIA PLATE
 - H THE NINES SIGNAGE

 - (E) VERTICAL BLADE SIGN MACYS REFER TO TYPE "D" FOR NEW SIGN AT SAME LOCATION
- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).

(C) HORIZONTAL BLADE SIGN – RETAIL

(D) VERTICAL BLADE SIGN - OFFICE TENANT

(A) CANOPY LETTER SIGN

(N) MECHANICAL LOUVERS



10'

40'

Bora



Louvers

	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0
	BEFORE	AFTER

EXISTING SIGNAGE = 34 SF NEW SIGNAGE = 214 SF TOTAL SIGNAGE = 248 SF

MAX ALLOWABLE = 300 SF MAX SIGN SIZE = 100 SF MAX EXTENDING SIGN SIZE = 30 SF MAX EXTENSION = 6.5 FT

SEE EXHIBIT C. 29 FOR SIGNAGE STANDARDS

- (E) 24x30" PLAQUE AT HISTORIC LOCAT.
- (E) AWNING, APPLY PIN MOUNTED (F) (E) 11x16" PLAQUE AT HISTORIC LOCAT. SIGN TO NEW FASCIA PLATE
 - H THE NINES SIGNAGE
 - (E) VERTICAL BLADE SIGN MACYS REFER TO TYPE "D" FOR NEW SIGN AT SAME LOCATION
- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).

(D) VERTICAL BLADE SIGN - OFFICE TENANT

(C) HORIZONTAL BLADE SIGN – RETAIL

(A) CANOPY LETTER SIGN

(N) MECHANICAL LOUVERS



Bora



Louvers

BEFORE AFTER 485 **EAST** 0 NORTH 369 823 SOUTH 110 110 WEST 0 600 933 1564

EXISTING SIGNAGE = 14.8 SF NEW SIGNAGE = 132 SF TOTAL SIGNAGE = 146.8 SF

MAX ALLOWABLE = 300 SF MAX SIGN SIZE = 100 SF MAX EXTENDING SIGN SIZE = 30 SF MAX EXTENSION = 6.5 FT

- (E) AWNING, APPLY PIN MOUNTED (F) (E) 11x16" PLAQUE AT HISTORIC LOCAT. SIGN TO NEW FASCIA PLATE
- (C) HORIZONTAL BLADE SIGN RETAIL
- D VERTICAL BLADE SIGN OFFICE TENANT
- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).

- H THE NINES SIGNAGE
- (E) VERTICAL BLADE SIGN MACYS REFER TO TYPE "D" FOR NEW SIGN AT SAME LOCATION
- (N) MECHANICAL LOUVERS


EA # 17-107025 June 20, 2017

40'

10'

Bora





	1564	933
WEST	600	0
SOUTH	110	110
NORTH	369	823
EAST	485	0

EXISTING SIGNAGE = 36.4 SF NEW SIGNAGE = 224 SF TOTAL SIGNAGE = 260.4 SF

MAX ALLOWABLE = 300 SF MAX SIGN SIZE = 100 SF MAX EXTENDING SIGN SIZE = 30 SF MAX EXTENSION = 6.5 FT

SEE EXHIBIT C. 29 FOR SIGNAGE STANDARDS

- (E) 24x30" PLAQUE AT HISTORIC LOCAT.
- (E) AWNING, APPLY PIN MOUNTED (F) (E) 11x16" PLAQUE AT HISTORIC LOCAT. SIGN TO NEW FASCIA PLATE
- H THE NINES SIGNAGE (C) HORIZONTAL BLADE SIGN – RETAIL
 - (E) VERTICAL BLADE SIGN MACYS REFER TO TYPE "D" FOR NEW SIGN AT SAME LOCATION
- (N) DOUBLE-HUNG WOOD WINDOWS TO MATCH EXISTING. (REPLACING MECHANICAL LOUVERS FROM 2006 RENOVATION).

D VERTICAL BLADE SIGN - OFFICE TENANT


(A) CANOPY LETTER SIGN


(N) MECHANICAL LOUVERS


WEST ELEVATION - ENLARGED

40'

Bora











WEST ENTRY & CANOPY

Bora






(E) TERRACOTTA

NEW STOREFRONT/ENTRY
LOCATION



Bora



EAST ENTRY & CANOPY

Bora



CANOPY LETTER SIGN – TENANT

- Individual letters/logo
- Self-illuminated







FASCIA PIN MOUNTED SIGN - TENANT

- Single color, pin-mounted individual metal letters
- Non-illuminated








HORIZONTAL BLADE SIGN - RETAIL

- Laser cut metal face
- Interior illuminated cabinet light








VERTICAL BLADE SIGN – OFFICE TENANT

- Laser cut metal face
- Interior illuminated cabinet light





NEW SIGNAGE STANDARDS

Bora

E

24x30" PLAQUE IN HISTORIC LOCATION



BUILDING NAME



11x16" PLAQUE IN HISTORIC LOCATION



BUILDING NAME



VERTICAL BLADE SIGN - THE NINES



THE NINES CANOPY SIGN





VERTICAL BLADE SIGN - MACYS REFER TO TYPE "D" FOR NEW SIGNAGE IN (E) LOCATION

