

# SAFETY DATA SHEET

	1. Identification		
Product identifier	Formula 409® Multi-Surface Cleaner		
Other means of identification	EPA 5813-73		
	Document Number: USA001160		
Recommended use	Multi-Purpose Cleaner and Disinfectant		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplie	r/Distributor information		
Manufacturer			
Company name	The Clorox Company		
Address	1221 Broadway		
	Oakland, CA 94612 United States		
Telephone	1-510-271-7000		
E-mail	Not available.		
Emergency phone number	Medical Emergency: 1-800-446-1014		
	Transportation Emergency: 1-800-424-9300	(Chemtrec)	
	2. Hazards Identificatio	n	
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	The mixture does not meet the criteria for class	ssification.	
Precautionary statement			
Prevention	Observe good industrial hygiene practices.		
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of container in accordance with local	, regional, national and internati	onal regulations.
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	This SDS is designed for workplace employed and situations where there is greater potentia not applicable for consumer use of our produc language is provided on the product label in a regulations.	l for large-scale or prolonged ex cts. For consumer use, all preca	posure. This SDS is nutionary and first aid
	3. Composition/Information on I	ngredients	
Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Alkyl (C12 40; C14 50%; C16, dimethyl benzyl ammonium ch		68424-85-1	0.3
All concentrations are in percent	by weight.		
	4. First Aid Measures		
Inhalation	If breathed in, move person into fresh air.		
Skin contact	IF ON SKIN OR CLOTHING: Take off contam water for 15-20 minutes. Call a poison control		
Eye contact	IF IN EYES: Hold eye open and rinse slowly a contact lenses if present, after the first 5 minu center or doctor for treatment advice		

center or doctor for treatment advice.

Ingestion	If swallowed, call a Poison Control Center or doctor immediately. DO NOT induce vomiting.	
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.	
Indication of immediate medical attention and special	Provide general supportive measures and treat symptomatically. Symptoms may be delayed.	
treatment needed	For further information, call (800) 227-1860	
General information	If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. KEEP OUT OF REACH OF CHILDREN AND PETS. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
	5. Fire Fighting Measures	
Suitable extinguishing media	Treat for surrounding material.	
Unsuitable extinguishing media	None known.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	No unusual fire or explosion hazards noted.	
	6. Accidental Release Measures	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters.	
	7. Handling and Storage	
Precautions for safe handling	Avoid contact with eyes, skin or clothing. Avoid contact with foods. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash thoroughly after handling. Use good industrial hygiene practices in handling this material. When using do not eat or drink.	
Conditions for safe storage, including any incompatibilities	Store in a cool, dry, well-ventilated place. Keep in original container. Do not reuse containers. Store away from incompatible materials (see Section 10 of the SDS). KEEP OUT OF REACH OF CHILDREN.	
	8. Exposure Controls/Personal Protection	
Biological limit values	No biological exposure limits noted for the ingredient(s).	
Appropriate engineering controls	General ventilation normally adequate.	
	such as personal protective equipment	
individual protection measures,		
Eye/face protection	Not normally required under normal use conditions. If splashes are likely to occur, wear: Wear safety glasses with side shields.	
Eye/face protection Skin protection	Not normally required under normal use conditions. If splashes are likely to occur, wear: Wear safety glasses with side shields.	
Eye/face protection Skin protection Hand protection	Not normally required under normal use conditions. If splashes are likely to occur, wear: Wear safety glasses with side shields. Not normally required when used as directed. For prolonged use, wear rubber gloves.	
Eye/face protection Skin protection Hand protection Other	Not normally required under normal use conditions. If splashes are likely to occur, wear: Wear safety glasses with side shields. Not normally required when used as directed. For prolonged use, wear rubber gloves. Wear appropriate chemical resistant clothing. As required by employer code.	
Eye/face protection Skin protection Hand protection	Not normally required under normal use conditions. If splashes are likely to occur, wear: Wear safety glasses with side shields. Not normally required when used as directed. For prolonged use, wear rubber gloves.	

Wash hands before breaks and immediately after handling the product. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. When using do not eat or drink.

## 9. Physical and Chemical Properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid
Color	Green
Odor	Floral, Citrus
Odor threshold	Not available.
рН	9 - 11.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	olosive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	~1.0
Solubility(ies)	Soluble
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and Reactivity	

#### 10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Chemical stability	Material is stable under normal conditions.
Conditions to avoid	Do not mix with other chemicals.
Incompatible materials	Oxidizers. Acids.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Ammonia. Chlorine gas.

### 11. Toxicological Information

Information on likely routes of exposure		
Inhalation	No adverse effects due to inhalation are expected. Excessive intentional inhalation may cause respiratory tract irritation.	
Skin contact	Not expected to be a primary skin irritant.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	May cause stomach distress, nausea or vomiting.	

Information on toxicological effects Acuts toxicity See below. Components Species Test Results Akity (12 40; C14 50%; C16, 10%) dimetryl benzyl anmonium chloride (CAS 68424-65-1) Acute Dermal LD50 Rabbit 3412 mg/kg, ECHA Inhalation LD50 Rat 0.3 mg/l(4h, ECHA Oral LD50 Rat 0.3 mg/l(4h, ECHA Oral LD50 Rat Octower minutes Not expected to be a primary skin irritant. Exposure minutes Not expected to be a primary skin irritant. Exposure minutes Not expected to be a primary skin irritation. Frythems value Octower minutes Not available. Serious eye damage/sye Direct contact with eyes may cause temporary irritation. Irritation Company and the Acutable. Reproductive defems value Not available. Conjunctival defems value Not available. Reprint or skin sensitization Respiratory sensitization Not available. Serious eye sensitization Not available. Serious eye sensitization Not available. Serious eyestication Not available. Reprint Provide Sensitization Respiratory sensitization Not available. Serious eyestication Not available. Serious eyestication Not available. Serious eyestication Not available. Serious exercities Carcinogenicity Not listed. Serious exercities Carcinogenicity Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific larget organ toxicity - Not available. This product is not expected to cause reproductive or developmental effects. Specific larget organ toxicity - Not available. This product is not expected to cause reproductive or developmental effects. Specific larget organ toxicity - Not available. This product is not expected to cause reproductive or developmental effects. Specific larget organ toxicity - Not available. This product is not expected to cause reproductive or developmental effects. Specific larget organ toxicity - Not available. This product is not expected to cause reproductive or developmental effects. Specific larget organ toxicity - Not available. This product is not expected to cause reproductive or developmental effects. S	Symptoms related to the physical, chemical and toxicological characteristics	There are no hazards associated with this product in normal use. Direct contact with eyes may cause temporary irritation.		
Test Results         Species         Test Results           Akyl (C12 40: C14 50%; C16, 10%) dimetryl berzyl ammonium chloride (CAS 68424-85-1)         Actice           Dermal         LD50         Rabbit         3412 mg/kg, ECHA           Inhalation         LC50         Rat         0.3 mg/l4h, ECHA           Oral         LD50         Rat         795 mg/kg, ECHA           Skin corrosion/irritation         Not expected to be a primary skin inflant.         Exposure minutes         Not available.           Erythema value         Not available.         795 mg/kg, ECHA         Second and available.           Serious eye damageleye         Direct contact with eyes may cause temporary irritation.         Irritation           Conjunctival reddening         Not available.         Second available.         Second available.           Conjunctival reddening         Not available.         Second available.         Second available.           Respiratory or skin sensitization         Not available.         Second available.         Second available.           Respiratory or skin sensitization         Not available.         Second available.         Second available.           Skin sensitization         Not available.         Second available.         Second available.           Skin sensitization         Not available.         Second available	Information on toxicological eff	ects		
Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)         Acute         Dermal         LD50       Rabbit         3412 mg/kg, ECHA         Inhalation         LC50       Rat         0.7al       0.3 mg/l/4h, ECHA         Skin corrosion/irritation       Not expected to be a primary skin irritant.         Exposure minutes       Not available.         Ord       Dermal         Corrol opacity value       Not available.         Ordination       Not available.         Corponetival reddening       Not available.         Conjunctival reddening       Not available.         Conjunctival reddening       Not available.         Conjunctival reddening       Not available.         Respiratory sensitization       Not available.         Respiratory sensitization       Not available.         Carcinogenicity       Not available.         Carcinogenicity       Not available.         Carcinogenicity       Not available.         Skin sensitization       Not available.         Respiratory sensitization       Not available.         Carcinogenicity       Not available.         Skin sensitization       Not available.         Ste	Acute toxicity	See below.		
Dermal         CDS0         Rabit         3412 mg/kg, ECHA           Inhistation         LCS0         Rat         0.3 mg/l/4h, ECHA           Oral	•			
Inhalation       LC50       Rat       0.3 mg/l/4h, ECHA         Cori       LD50       Rat       795 mg/kg, ECHA         Skin corresion/irritation       Not expected to be a primary skin irritant.       Exposure minutes       Not available.         Erythema value       Not available.       Oddma value       Not available.         Oreid       Dedoma value       Not available.       Sinic organization.         Correat opacity value       Not available.       Not available.         Conjunctival reddening       Not available.       Conjunctival reddening         Value       Not available.       Conjunctival ocdema value       Not available.         Conjunctival reddening       Not available.       Respiratory or skin sensitization       Not available.         Respiratory or skin sensitization       Not available.       Carcinogenicity       Germ cell mutagenicity       Not available.         Germ cell mutagenicity       Not available.       Carcinogenicity       Not issued.       Skin sensitization       Not available.         Specific airge forgan toxicity       Not available.       Carcinogenicity       Not issued.       Skin sensitization       Not available.         Skin sensitization       Not available.       Carcinogenicity       Not issued.       Skintional Toxicology Program (NTP) Report on	Dermal			
LC50     Rat     0.3 mg/l4h, ECHA       Oral     D50     Rat     705 mg/kg, ECHA       Skin corresion/irritation     Not excited to be a primary skin irritant.     Exposure minutes     Not available.       Corgonal status     Not available.     Odema value     Not available.       Serious sys damage/sys     Direct contact with eyes may cause temporary irritation.     Irritation       Corneal opacity value     Not available.     Not available.       Conjunctival redeming     Not available.     Not available.       Conjunctival oedema value     Not available.     Respiratory or skin sensitization       Respiratory of skin sensitization     Not available.     Germ cell mutagenicity       Respiratory of skin sensitization     Not available.     Germ cell mutagenicity       Kit RC Monographs. Overall Evaluation of Carcinogenicity     Not available.     Germ cell mutagenicity       Not itsed.     Specific target organ toxicity - Not available.     Not available.       Germ cell mutagenicity     Not available.     Germ cell mutagenicity     Not available.       Kart Onographs. Overall Evaluation of Carcinogenicity     Not itsed.     Specific target organ toxicity - Not available.       Specific target organ toxicity - Not available.     Specific target organ toxicity - Not available.     Specific target organ toxicity - Not available.       Specific target organ toxicity - resp		Rabbit		3412 mg/kg, ECHA
LD50     Rat     795 mg/kg, ECHA       Skin corrosion/Irritation     Not expected to be a primary skin irritant.       Exposure minutes     Not available.       Erythema value     Not available.       Oedema value     Not available.       Serious eye damage/eye     Direct contact with eyes may cause temporary irritation.       irritation     Corneal opacity value     Not available.       Conjunctival reddening     Not available.     Serious eye damage/eye       Conjunctival reddening     Not available.       Value     Not available.       Conjunctival reddening     Not available.       Respiratory or skin sensitization     Respiratory or skin sensitization       Respiratory or skin sensitization     Not available.       Germ cell mutagenicity     Not available.       Garcinogenicity     Not available.       IARC Monographs. Overall Evaluation of Carcinogenicity     Not listed.       Not listed.     Sust isonal Toxicology Program (NTP) Report on Carcinogens       Not listed.     Not available.       Specific target organ toxicity - Not available.     Not available.       Specific target organ toxicity - Not available.     Not available.       Specific target organ toxicity - Not available.     Not available.       Specific target organ toxicity - Not available.     Not available.       Specific targe		Rat		0.3 mg/l/4h, ECHA
Exposure minutes     Not available.       Erythema value     Not available.       Oedema value     Not available.       Serious syed emage/eye     Direct contact with eyes may cause temporary irritation.       irritation     Corneal opacity value       Not available.     Irrit losion value       Conjunctival reddening     Not available.       Conjunctival reddening     Not available.       Conjunctival codema value     Not available.       Conjunctival codema value     Not available.       Respiratory or skin sensitization     Respiratory or skin sensitization       Respiratory or skin sensitization     Not available.       Skin sensitization     Not available.       Garm cell mutagenicity     Not available.       Carcinogenicity     Not available.       Carcinogenicity     Not available.       Not listed.     Costacology Program (NTP) Report on Carcinogens       Not listed.     Not available.       Specifical traget organ toxicity - Not available.     Specifical traget organ toxicity - Not available.       Specific target organ toxicity - Not available.     Specific target organ toxicity - Not available.       Specific target organ toxicity - repeated exposure     Not available.       Specific target organ toxicity - repeated.     Not available.       Further Information     Not available. <t< th=""><th></th><th>Rat</th><th></th><th>795 mg/kg, ECHA</th></t<>		Rat		795 mg/kg, ECHA
Erythema value       Not available.         Oedema value       Not available.         Sorious oyo damagologo       Direct contact with eyes may cause temporary irritation.         irritation       Not available.         Corneal opacity value       Not available.         Conjunctival reddening       Not available.         Conjunctival reddening       Not available.         Recover days       Not available.         Respiratory or skin sensitization       Not available.         Skin sensitization       Not available.         Gern cell mudgenicity       Not available.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)       Not regulated.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Further information	Skin corrosion/irritation	Not expected to	be a primary skin irritant.	
Ocidema value         Not available.           Serious eye damage/eye irritation         Direct contact with eyes may cause temporary irritation.           Corneal opacity value         Not available.           Iris basion value         Not available.           Iris basion value         Not available.           Conjunctival reddening value         Not available.           Conjunctival oedema value         Not available.           Resour days         Not available.           Respiratory or skin sensitization         Not available.           Respiratory or skin sensitization         Not available.           Germ cell mutagenicity         Not available.           Stational Toxicology Program (NTP) Report on Carcinogens Not listed.         Not available.           Specific target organ toxicity - single exposure         Not available.           Specific target organ toxicity - single exposure         Not available.           Aspiration hazard         Not available. <td>Exposure minutes</td> <td>Not available.</td> <td></td> <td></td>	Exposure minutes	Not available.		
Serious eye damage/eye irritation     Direct contact with eyes may cause temporary irritation.       irritation     Not available.       Corneal opacity value     Not available.       Conjunctival reddening value     Not available.       Conjunctival oedema value     Not available.       Respiratory or skin sensitization     Not available.       Respiratory or skin sensitization     Not available.       Respiratory or skin sensitization     Not available.       Germ cell mutagenicity     Not available.       Garcinogenicity     Not available.       IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.     Not available.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.     Not available.       US. National Toxicology Program (NTP) Report on Carcinogens Not listed.     Not available.       Specific target organ toxicity - single exposure     Not available.       Specific target organ toxicity - single exposure     Not available.       Further information     Not available.       Further information     Not available.       Ecotoxicity     See below	Erythema value	Not available.		
irritation Correal opacity value Not available. Iris lesion value Not available. Conjunctival reddening Value Conjunctival oedema value Not available. Recover days Not available. Respiratory or skin sensitization Respiratory or skin sensitization Not available. Germ cell mutagonicity Not available. Carcinogenicity IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - Not available. Specific target organ toxicity - Not available. Specific target organ toxicity - Not available. Chronic effects Not available.	Oedema value	Not available.		
Iris lesion value       Not available.         Conjunctival reddening value       Not available.         Conjunctival oedema value       Not available.         Recover days       Not available.         Respiratory or skin sensitization       Respiratory sensitization         Respiratory sensitization       Not available.         Skin sensitization       Not available.         Germ cell mutagenicity       Not available.         Carcinogenicity       Not available.         JARC Monographs. Overall Evaluation of Carcinogenicity       Not isted.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)       Not isted.         Not isted.       Not available.         Reproductive toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - solt available.       Not available.         Further information       Not available.         Coro		Direct contact w	ith eyes may cause temporary irritation	
Conjunctival reddening value       Not available.         Conjunctival oedema value       Not available.         Recover days       Not available.         Respiratory sensitization       Not available.         Respiratory sensitization       Not available.         Skin sensitization       Not available.         Germ cell mutagenicity       Not available.         Carcinogenicity       IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.       Not available.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.       Not available.         Specific target organ toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicological data       Species       Test Results         Components       Species       Test Results         Aklyl (C12 405%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Aquatic         Fish	Corneal opacity value	Not available.		
value       Not available.         Recover days       Not available.         Respiratory or skin sensitization       Not available.         Respiratory sensitization       Not available.         Skin sensitization       Not available.         Germ cell mutagenicity       Not available.         Carcinogenicity       IARC Monographs. Overall Evaluation of Carcinogenicity         Not listed.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)         Not listed.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)         Not listed.       Not available.         Reproductive toxicology Program (NTP) Report on Carcinogens       Not listed.         Reproductive toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - single exposure       Not available.         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicological data       Species       Test Results         Components       Species       Test Results         Alkyl (C124 02; C145 00%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Aquatic </th <th>Iris lesion value</th> <th>Not available.</th> <th></th> <th></th>	Iris lesion value	Not available.		
Recover days       Not available.         Respiratory or skin sensitization       Not available.         Respiratory sensitization       Not available.         Skin sensitization       Not available.         Germ cell mutagenicity       Not available.         IARC Monographs. Overall Evaluation of Carcinogenicity       Not available.         Not listed.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)         Not regulated.       US. National Toxicology Program (NTP) Report on Carcinogens         Not listed.       Not available.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicological data       Species       Test Results         Components       Species       Test Results         Advatic       Species       Test Results         Advatic       Species       Test Results         Advatic       Species       Test Results         Advatic       Species       Test Results         Ecotoxicological datat       Species       Te		Not available.		
Respiratory or skin sensitization Respiratory sensitization Skin sensitization Ot available.       Not available.         Germ cell mutagenicity IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.       Not available.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.       Not available.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.       Not available.         Reproductive toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - repeated exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Further information       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicological data       Species         Components       Species         Aquatic       Fish         LC50       Striped bass (Morone saxatilis)         10.4 - 19.1 mg/L, 96 hours	Conjunctival oedema value	Not available.		
Respiratory sensitization       Not available.         Skin sensitization       Not available.         Germ cell mutagenicity       Not available.         Carcinogenicity       IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.       Not available.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.       Not available.         Reproductive toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Further information       Not available.         Further information       Not available.         Ecotoxicological data       Species       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)         Aquatic       Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hou	Recover days	Not available.		
Respiratory sensitization       Not available.         Skin sensitization       Not available.         Germ cell mutagenicity       Not available.         Carcinogenicity       IARC Monographs. Overall Evaluation of Carcinogenicity Not listed.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.       Not available.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.       Not available.         Reproductive toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Further information       Not available.         Further information       Not available.         Ecotoxicological data       Species       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)         Aquatic       Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hou	Respiratory or skin sensitizatio	'n		
Germ cell mutagenicity       Not available.         Carcinogenicity       IARC Monographs. Overall Evaluation of Carcinogenicity         Not listed.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)         Not regulated.       US. National Toxicology Program (NTP) Report on Carcinogens         Not listed.       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Aspiration hazard       Not available.         Further information       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicity       See below         Ecotoxicity Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Aquatic         Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours				
Carcinogenicity       IARC Monographs. Overall Evaluation of Carcinogenicity         Not listed.       OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)         Not regulated.       US. National Toxicology Program (NTP) Report on Carcinogens         Not listed.       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicity       See below         Ecotoxicity C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)         Aquatic       Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours	Skin sensitization	Not available.		
IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity - single exposure Specific target organ toxicity - Not available. repeated exposure Aspiration hazard Not an aspiration hazard. Chronic effects Not available. Further information Not available. Further information Not available. Ecotoxicity See below Ecotoxicity See below Ecotoxicity See below Ecotoxicity See below Ecotoxicity See below Ecotoxicity See below Ecotoxicity C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1) Aquatic Fish LC50 Striped bass (Morone saxatilis) 10.4 - 19.1 mg/L, 96 hours	Germ cell mutagenicity	Not available.		
Not listed.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.         Reproductive toxicity       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicity       See below         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Aquatic         Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours	Carcinogenicity			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.         Not regulated.         US. National Toxicology Program (NTP) Report on Carcinogens Not listed.         Reproductive toxicity         This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure         Not available.         Specific target organ toxicity - repeated exposure         Aspiration hazard         Not available.         Further information         Not available.         Further information         Specific target organ toxicity - sepeated exposure         Not available.         Further information         Not available.         Further information         Not available.         Ecotoxicity         Species         Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)         Aquatic         Fish       LC50         Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours	• •	Evaluation of Car	cinogenicity	
Not listed.       This product is not expected to cause reproductive or developmental effects.         Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicity       See below         Ecotoxicity (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Tot available.         Alkyl       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours	OSHA Specifically Regulate	ed Substances (29	9 CFR 1910.1001-1052)	
Specific target organ toxicity - single exposure       Not available.         Specific target organ toxicity - repeated exposure       Not available.         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicological data       Species         Components       Species         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       10.4 - 19.1 mg/L, 96 hours		ogram (NTP) Repo	ort on Carcinogens	
single exposure Specific target organ toxicity - Not available. repeated exposure Aspiration hazard Not an aspiration hazard. Chronic effects Not available. Further information Not available. Further information Not available. Ecotoxicity See below Ecotoxicological data Components Species Test Results Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1) Aquatic Fish LC50 Striped bass (Morone saxatilis) 10.4 - 19.1 mg/L, 96 hours	Reproductive toxicity	This product is r	not expected to cause reproductive or d	levelopmental effects.
repeated exposure         Aspiration hazard       Not an aspiration hazard.         Chronic effects       Not available.         Further information       Not available.         Ecotoxicity       See below         Ecotoxicological data       Species       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Test Results         Aquatic       Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours		Not available.		
Chronic effects       Not available.         Further information       Not available.         Image: Constraint of the second		Not available.		
Chronic effects       Not available.         Further information       Not available.         Image: Constraint of the second	Aspiration hazard	Not an aspiratio	n hazard.	
12. Ecological Information         Ecotoxicity       See below         Ecotoxicological data       Species       Test Results         Components       Species       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Aquatic         Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours	Chronic effects	Not available.		
Ecotoxicity       See below         Ecotoxicological data       Species       Test Results         Components       Species       Test Results         Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)       Aquatic         Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours	Further information	Not available.		
Ecotoxicological data       Species       Test Results         Components       Species       Alkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)         Aquatic       Fish       LC50       Striped bass (Morone saxatilis)       10.4 - 19.1 mg/L, 96 hours		1:	2. Ecological Information	
Ecotoxicological dataComponentsSpeciesTest ResultsAlkyl (C12 40; C14 50%; C16, 10%) dimethyl benzyl ammonium chloride (CAS 68424-85-1)AquaticAquaticInterpreter Striped bass (Morone saxatilis)10.4 - 19.1 mg/L, 96 hours	Ecotoxicity	See below		
Fish     LC50     Striped bass (Morone saxatilis)     10.4 - 19.1 mg/L, 96 hours	Ecotoxicological data Components Alkyl (C12 40; C14 50%; C16, 10		-	
	-			
Persistence and degradability Not available	Fish	LC50 S	striped bass (Morone saxatilis)	10.4 - 19.1 mg/L, 96 hours
	Persistence and degradability	Not available.		
Bioaccumulative potentialNot available.Mobility in soilNot available.	-			

Mobility in general	Not available.	
Other adverse effects	Not available.	
	13. Disposal Considerations	
Disposal instructions	Review federal, provincial, and local government requirements prior to disposal. If recycling is not available, discard in trash.	
Waste from residues / unused products	Not available.	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
	14. Transport Information	
General	Canada: TDG Proof of Classification: Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.	
	Canada: TDG: Not regulated as dangerous goods.	
	US: DOT: Not regulated as dangerous goods.	
	IMDG: Not regulated as dangerous goods.	
	IATA: Not regulated as dangerous goods.	
	15. Regulatory Information	
US federal regulations	This product is NOT known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
	This chemical is a disinfectant product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-disinfectant chemicals. The hazard information required on the disinfectant label is reproduced below. The disinfectant label also includes other important information, including directions for use.	
	It is a violation of Federal law to use this product in a manner inconsistent with its labeling.	
	EPA 5813-73	
	PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS	
	CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Avoid contact with foods.	
	Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Substa Not listed	ince List (40 CFR 302.4)	
SARA 304 Emergency relea	se notification	
Not regulated. OSHA Specifically Regulate Not regulated.	ed Substances (29 CFR 1910.1001-1052)	
Superfund Amendments and Re	eauthorization Act of 1986 (SARA)	
SARA 302 Extremely hazardous substance	No	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectior	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Sectior Not regulated.	n 112(r) Accidental Release Prevention (40 CFR 68.130)	

Safe Drinking Water Act<br/>(SDWA)Not regulated.Food and DrugNot regulated.Administration (FDA)Not regulated.

**US state regulations** 

See below

### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

#### **California Proposition 65**

This product is not subject to warning labeling under the California Proposition 65 regulation.

Country(s) or region

Inventory name

On inventory (yes/no)\*

Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory \*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)



Prepared by: The Clorox Company, 4900 Johnson Drive, Pleasanton, CA 94588, 925-368-6000