

# STANDARD CIL COMPANY OF CAMPORNIA

#### ORDINANCE ACCEPTANCE

RECEIVED

Oct 23 9 12 M 1969

Portland, Oregon CITY of September 26, 1969

RAY SMITH, AUDITOR CITY OF PORTLAND, ORE

MR. RAY SMITH Auditor of the City of Portland Room 202, City Hall Portland, Oregon 97204

Dear Sir:

This is to advise the City of Portland, Oregon, that we hereby accept the terms and provisions of Ordinance No. 129798, passed by the Council September 25, 1969, granting a revocable permit to Standard Oil Company of California to install three flammable liquids storage tanks at 5531 NW Doane Avenue, under certain conditions, and declaring an emergency, and in consideration of the benefits to be received thereunder by us we hereby agree to abide by and perform each and all of the terms and provisions thereof applicable to us.

Very truly yours,

STANDARD OIL COMPANY OF CALIFORNIA

BY: Les. W. Malub Operract Agent

BY: 6 914 amen Asst Secretary

P.O. Box 4168

Portland, Oregon 97208

APPROVED AS TO FORM:

City Attorney



# STANDARD OIL COMPANY OF CALIFORNIA, WESTERN OPERATIONS, INC.

5531 N.W. DOANE AVENUE

P.O. BOX 4168 PORTLAND OREGON 97208

MARKETING DEPARTMENT
D. J. MACLEAN
TERMINAL MANAGER
WILLBRIDGE DISTRIBUTING PLANT

August 29, 1969

City of Portland City Council 1220 S. W. Fifth Street Portland, Oregon

Attention: Mr. Stanley W. Earl

Dear Sir:

The Standard Oil Company of California hereby requests Council permit to erect 3 welded steel flammable liquids storage tanks at the Standard Oil Company of California Willbridge Terminal, 5531 N. W. Doane Avenue, Portland, Oregon.

The tanks to be erected are as follows:

Tank No.	Size	Storage Capacity	Туре	Flammable Liquid Stored
105	10½'x 30'	463 Bbls.	Vertical Cone Roof	Additive Component Class 4
106	12' x 30'	600 Bbls.	Vertical Floating Pan Roof	Gasoline Additive Class l
107	12' x 30'	600 Bbls.	11 11 11	11 11

All tanks will be built in accordance with API Standard No. 650, Welded Steel Tanks for Oil storage, Second Edition, April 1964 and bearing the API Monogram.

Enclosed are 3 copies of our drawing B-10 showing the Plot Plan of the proposed tanks and their relative locations to other existing facilities.

Our check #254 in the amount of \$100.00 for the permit fee is enclosed. We will forward the detailed tank construction plans to the Bureau of Buildings upon receipt of our permit.

Very traly yours,

CFL:ms

Enclosures

cc: Fire Marshal, J. R. Kerr 55 Ash Street Portland, Oregon

Ti Dhus

# Stanley W. Earl COMMISSIONER James H. Riopelle

### CITY of PORTLAND, OREGON

## BUREAU OF FIRE

55 S.W. ASH STREET 97204 JAMES R. KERR FIRE MARSHAL

September 10, 1969



Stanley W. Earl, Commissioner Department of Public Safety 314 City Hall Portland, Oregon

Dear Commissioner Earl:

STANDARD OIL COMPANY OF CALIFORNIA PERMIT APPLICATION TO INSTALL THREE FLAMMABLE LIQUID BULK STORAGE TANKS

The plans of the Standard Oil Company of California and their letter of application, dated August 29, 1969, for the construction of three vertical, welded steel, aboveground flammable liquid storage tanks on their tank farm property at the Standard Oil Company of California Willbridge Terminal, 5531 N. W. Doane Avenue, Portland, Oregon, are hereby forwarded for Council consideration, as required by Section 14-1409 of the Portland Fire Code.

The tanks are identified on the company drawing B-21, dated August 21, 1969, as Tank 105, Tank 106, and Tank 107. Tanks 106 and 107 are to be covered floating roof. Tank 105 is to be fixed cone roof.

Tank 105 (20,000 gallon additive component Class 4 flammable liquid) and Tank 106 (25,000 gallon gasoline additive Class 1 flammable liquid) are to be located in company Small Tank Yard. Product in Tanks 105 and 106 is to be withdrawn, blended, and piped to Tank 107 (25,000 gallon gasoline additive Class 1 flammable liquid) located in company Dock Tank Yard.

We have examined the plans, diking computations, and permit application for this proposed project and find the company computations to be substantially correct and in compliance with Fire Code requirements. Mr. C. N. Christiansen, Director of the Bureau of Buildings, and the Fire Marshal inspected the site and are familiar with the project.

I recommend that a revocable permit be issued to the Standard Oil Company of California to install three proposed flammable liquid storage tanks, subject to the following conditions:

- 1. That the company's drawing No. B-21, dated August 21, 1969, and the company's permit letter, dated August 29, 1969, shall be made a part of this permit.
- 2. That no flammable liquid with boil-over characteristics shall be stored in the tanks authorized under this permit.

- That no unstable or reactive liquid which will vigorously polymerize, decompose, condense, or become self-reactive under conditions of shock, pressure, or temperature shall be stored in the tanks constructed under this permit.
- 4. That the tanks shall be built in accordance with the American Petroleum Institute Standard No. 650, entitled 'Welded Steel Tanks for Oil Storage," Third Edition, July 1966, and shall bear the API monogram.
- 5. That Tanks 106 and 107 shall be provided with normal and emergency venting in accordance with requirements of API Supplement to Standard No. 650, issue of December 1967, Appendix H, for covered floating roof tanks.
- 6. That Tank 105 shall not be used for storage of a flammable liquid having a flash point below  $200^{\circ}$  F.
- 7. That Tank 105 shall be provided with normal and emergency venting in accordance with requirements of Sections 2140 and 2150 respectively of National Fire Protection Association Standard No. 30, "Flammable and Combustible Liquids," of the National Fire Codes, 1968-69 Edition.
- 8. That all tanks will have an intermediate sub-dike 18 inches in height separating them from other tanks in accordance with requirements of Section 2173 (g) (1) of NFPA Standard No. 30 of the National Fire Codes, 1968-69 Edition.
- That all piping, valves, and fittings shall be equal to the requirements of Chapter III of NFPA Standard No. 30 of the National Fire Codes, 1968-69 Edition.
- 10. That all construction including tanks, tank pads, pipe supports, pumps, and walkways shall be accomplished under permit from the Bureau of Buildings of the City of Portland and be in accordance with detailed drawings and specifications submitted to and approved by that Bureau.
- 11. That the two (2) Liquefied Petroleum Gas containers, presently existing in the diked Dock Tank Yard, shall be emptied of product and removed from said yard as soon as practicable, and that Tank 107 shall not contain any flammable liquid until such time as the LPG containers are so removed.
- 12. This permit shall not become effective until such time as a suitable document, approved as to form by the City Attorney, shall have been signed and filed with the Auditor of the City of Portland by said Standard Oil Company of California, which document shall accept and agree to the terms, provisions, and conditions of the ordinance.

The company's check in the amount of \$100, payable to the City Treasurer, as

September 10, 1969

required by Section 14-1409 (b) of the Fire Code, and company's letter of application and two (2) copies of company drawings B-21 are enclosed.

Respectfully submitted,

JAMES R. KERR Fire Marshal

JRK:mb

**Enclosures** 

#### CITY OF PORTLAND

#### INTER-OFFICE CORRESPONDENCE

(NOT FOR MAILING)

September 16, 1969

From

Bureau of Buildings

To

Department of Public Safety

Addressed to

Commissioner Stanley W. Earl

Subject

Application of Standard Oil Company of California for a permit to install three flammable liquid bulk storage tanks at their Willbridge Terminal, 5531 N. W. Doane Avenue.

Dear Commissioner Earl:

In accordance with Section 14-1409 of the Fire Code of the City of Portland, investigation has been made of the request of Standard Oil Company of California for a permit to install three flammable liquid bulk storage tanks at their Willbridge Terminal, 5531 N. W. Doane Avenue.

It is the recommendation of the Bureau of Buildings that this permit be granted in accordance with the recommendations of the Fire Marshal submitted in the attached report.

Respectfully submitted,

C. N. CHRISTIANSEN

BUILDING INSPECTIONS DIRECTOR

CNC:h1
Enc.

Recorded 10-29-69 Book 704 Page 1163

#### ORDINANCE NO. 129798

An Ordinance granting a revocable permit to Standard Oil Company of California to install three flammable liquids storage tanks at 5531 NW Doane Avenue, under certain conditions, and declaring an emergency.

The City of Portland ordains:

Section 1. The Council finds that on August 29, 1969, Standard Oil Company of California, by D. J. MacLean, Terminal Manager, P.O. Box 4168, Portland, Oregon, applied for a revocable permit to install three flammable liquids storage tanks on its property at 5531 NW Doane Avenue; that it has been recommended by the Bureau of Fire and approved by the Commissioner in charge thereof, that such permit be granted under certain conditions; now, therefore, Standard Oil Company of California is hereby granted a revocable permit to install three flammable liquids storage tanks on its property at 5531 NW Doane Avenue, under certain conditions, as follows:

Tank No. 105, 10 1/2' x 30', 463 bbls., Vertical Cone Roof, for storing Additive Component Class 4

Tank No. 106, 12' x 30', 600 bbls, Vertical Floating Pan Roof, for storing Gasoline Additive Glass 1

Tank No. 107, 12'  $\times$  30', 600 bbls., Vertical Floating Pan Roof, for storing Gasoline Additive Class 1

- a. The Company's Drawing No. B-21, dated August 21, 1969, is attached to the original only of this ordinance and hereby made a part of this ordinance.
- b. No flammable liquid with boil-over characteristics shall be stored in the tanks authorized under this permit.
- c. No unstable or reactive liquid which will vigorously polymerize, decompose, condense, or become self-reactive under conditions of shock, pressure, or temperature shall be stored in said tanks.
- d. Tanks shall be built in accordance with the American Petroleum Institute Standard No. 650, entitled "Welded Steel Tanks for Oil Storage," Third Edition, July 1966, and shall bear the API monogram.
- e. Tanks 106 and 107 shall be provided with normal and emergency venting in accordance with requirements of API Supplement to Standard No. 650, issue of December 1967, Appendix H, for covered floating roof tanks.

- f. Tank 105 shall not be used for storage of a flammable liquid having a flash point below 200° F.
- g. Tank 105 shall be provided with normal and emergency venting in accordance with requirements of Sections 2140 and 2150 respectively of National Fire Protection Association Standard No. 30, "Flammable and Combustible Liquids," of the National Fire Codes, 1968-69 Edition.
- h. All tanks will have an intermediate sub-dike 18 inches in height separating them from other tanks in accordance with requirements of Section 2173 (g) (1) of NFPA Standard No. 30 of the National Fire Codes, 1968-69 Edition.
- i. All piping, valves, and fittings shall be equal to the requirements of Chapter III of NFPA Standard No. 30 of the National Fire Codes, 1968-69 Edition.
- j. All construction including tanks, tank pads, pipe supports, pumps, and walkways shall be accomplished under permit from the Bureau of Buildings of the City of Portland and be in accordance with detailed drawings and specifications submitted to and approved by that Bureau.
- k. The two Liquefied Petroleum Gas containers presently existing in the diked Dock Tank Yard, shall be emptied of product and removed from said yard as soon as practicable, and Tank 107 shall not contain any flammable liquid until such time as the LPG containers are so removed.
- L. The revocable permit hereby granted shall be revocable at the pleasure of the Council and no expenditure of money hereunder or lapse of time or any act or thing shall operate as an estoppel against the City of Portland or be held to give the permittee any vested or other right.
- m. The revocable permit hereby granted is personal to petitioner and does not run with the land, nor may it be transferred, assigned or otherwise disposed of by said petitioner.
- n. The provisions of the Fire Code and generally all other applicable code and ordinance provisions and regulations of the City, whether presently existing or hereafter enacted, shall be complied with.
- o. The revocable permit provided by this ordinance shall not become effective until permittee has filed with the City Auditor, in form approved by the City Attorney, a document in writing accepting the terms and conditions of this ordinance.
- p. Upon the filing of such acceptance, the City Auditor shall, at the expense of the petitioner, file a certified

#### ORDINANCE No.

copy of this ordinance and the acceptance thereof in the Miscellaneous Records of Multnomah County, Oregon.

Section 2. Inasmuch as this ordinance is necessary for the immediate preservation of the public health, peace and safety of the city of Portland in this: In order that needed storage facilities way be provided without delay; therefore, an emergency hereby is declared to exist and this ordinance shall be in force and effect from and after its passage by the Council.

Passed by the Council, SEP 25 1969

Mayor of the City of Portland

Attest:

Auditor of the City of Portland

Commissioner Earl MCR:jw 9/18/69

AS FOLLOWS:	AS FOLLOWS:	S: VOTED
	Yeas	Nays
Bowes	-	
Earl		
Grayson	1	
Ivancie		
Schrunk	/	
	7	

FOUR-FI	FOUR-FIFTHS CALENDAR
Bowes	
Earl	
Grayson	
Ivancie	
Schrunk	

# ORDINANCE No. 1297:98

# Title

An Ordinance granting a revocable permit to Standard Oil Company of California to install three an emergency. at 5531 NW Doane Avenue, under certain conditions, and declaring flammable liquids storage tanks

SEP 1.8 1969

SEP 1.8 1969

of the CITY OF PORTLAND RAY SMITH Deputy

> Commissioner Earl INTRODUCED BY

Calendar No. 3984

DRAWN BY

MCR: jw

Date September 18,

1969

NOTED BY THE COMMISSIONER

Affairs

Finance and Administration

**Ualities** 

Safety

Works

City Attorney

NOTED FOR CITY AUDITOR

APPROVED

City Engineer

Ву

Date

Date