







PORTLAND WATER BUREAU Lead Hazard Reduction Program Evaluation Services



Ordinance Purpose

- To evaluate the Public Education and Community Outreach component of the City's Lead Hazard Reduction Program
- Evaluation conducted by Multnomah County's Program Design and Evaluation Services (PDES) group
- PDES will provide a final report to the Water Bureau in Fall 2017.
- The Intergovernmental Agreement is for an amount not to exceed \$56,250.

Background on lead in Portland

1992 EPA passed the Lead and Copper Rule: Requires system to treat water to reduce levels below 15 ppb.

Limited sources of lead in water in Portland system

- Portland never used lead service lines
- Removed all known lead pigtails
- Copper pipes and lead solder most common in homes plumbed or built from 1970 – 85
- Home plumbing fixtures installed prior to 1985 can also contribute to lead in water
- In Portland lead paint is the greatest source of exposure to lead

As a result, Portland City Council directed the Water Bureau to look at alternative ways to reduce lead exposure

Portland's Lead Hazard Reduction Program

4-part alternative program to meet federal requirements (Lead and Copper Rule) for lead exposure reduction:

Water
Treatment &
Monitoring



Lead in Water Education and Testing



Home Lead Hazard Control Program



Public Education and Community Outreach




Water Treatment & Monitoring

Adjust pH from 6.5 to 8 with caustic soda.

Monitor every six months from pool of high-risk homes and water quality parameters every three months.

Treatment has resulted in more than 60% reduction in lead levels in high-risk homes.

Monitoring results are below system action level of 15ppb.




Lead in Water Education and Testing

Free lead in water testing for all customers:

Average of 3,000 requests per year

Outreach and education to reduce exposure to lead in water:

- Utility bill brochure annually
- Annual mailer sent to highest risk homes
- Information on website and water quality report



Home Lead Hazard Control Program

Since 2001, LHRP funds have been used as local match to Portland Housing Bureau to receive 5 HUD grants

Year Awarded	Amount	Units Completed	Number of Kids
2001	\$3,000,000	318	636
2004	\$3,000,000	281	625
2006	\$3,000,000	335	700
2009	\$4,000,000	529	1,000
2013	\$3,000,000	118	118
TOTAL	\$16,000,000	1,543	3,061

Current Programs FY2016/17

Community Alliance of Tenants - Tenant outreach

Community Energy Project - Community workshops and outreach

Fair Housing Council of Oregon - Outreach and education to landlords

Growing Gardens - Soil testing for lead contamination

Multnomah County Health Department - Resource referrals through LeadLine, education, blood lead testing, home investigations

Portland Public Schools - Paint stabilization in schools

LHRP Accomplishments

Since 2004 more than:

- 19,000 tenants received lead information
- 6,500 people attended a lead workshop
- 14,000 landlords received lead information
- 900 soil samples tested
- 7,600 new and expecting mothers received lead information
- 40,500 people contacted the LeadLine
- 12,500 blood lead level tests conducted
- 95 pieces of playground equipment replaced
- 180 paint stabilization projects completed

LHRP Evaluation

Questions posed by the evaluation:

- Are the LHRP partner organizations raising awareness and knowledge about lead hazard risks in the community?
- Do partner organizations improve knowledge about and use of resources for reducing lead exposure?
- Are the LHRP partner organizations targeting and reaching the most at-risk populations in the Portland community for lead exposure?

LHRP Evaluation

Results of the evaluation will be used to:

- Improve effectiveness of community partner programs
- Direct outreach efforts to better target those most at-risk
- Identify gaps in lead prevention education and guide development of future partners and grantees

Questions?