1 P02.01 PLUMBING PLAN - W&V - LEVEL 1
1/8" = 1'-0"

## SHEET NOTES

| | |
|---|---|
| 1 | ALL ABOVE GRADE STORM AND WASTE PIPING TO BE NO-HUB CAST IRON. ALL BELOW GRADE PIPING IS PVC. |
| 2 | IMPORT AND EXPORT OF SOIL BY OTHERS, EXCAVATION AND BACKFILL BY AHI. |

## KEYNOTES

| | |
|---|---|
| 1 | |
| 2 | RISER UP TO FLOOR ABOVE. |
| 3 | STUB-OUT ABOVE FINISHED FLOOR AND CAP FOR FUTURE. |

**City Of Portland**

**REVIEWED FOR CODE COMPLIANCE**

Date: 02/11/20

Project: 19-106743-REV-01-CO


American Heating, Inc.
PO BOX 1000
PORTLAND, OREGON 97207-4765
TELEPHONE (503) 239-4600 FAX (503) 239-4605


08/23/18
B. SHEA
J. LOVELL
418309

REGISTERED PROFESSIONAL ENGINEER
80947PE
DIGITALLY SIGNED
OREGON
JAMES D. SCOTT
RENEWS: 12-31-2019

**18S**
GREYSTAR
1715 SW Salmon St
Portland, OR 97205

REVISIONS

| | | |
|---|---|---|
| A | PERMIT RESPONSE 1 | 06/03/2019 |
| B | PERMIT RESPONSE 2 | 09/09/2019 |
| 3 | AB-01 | 09/27/2019 |




KEYPLAN

| | |
|---|---|
| CHECKED BY: | Checker |
| ISSUE DATE: | 27 SEP 2019 |
| PROJECT NO: | 1803002 |

**PLUMBING W&V PLAN LEVEL 1**

**P02.01**

**CONSTRUCTION SET**

10/31/2019 1:05:37 PM