

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 1/9  
(30535779/SDS\_GEN\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

#### Recommended use of the chemical and restriction on use

Recommended use\*: lubricants

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Synonyms: Synthetic Lubricant

---

### 2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Aquatic Acute	3	Hazardous to the aquatic environment - acute
Aquatic Chronic	3	Hazardous to the aquatic environment - chronic

#### Label elements

Hazard Statement:

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 2/9  
(30535779/SDS\_GEN\_US/EN)

H402 Harmful to aquatic life.  
H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):  
P273 Avoid release to the environment.

Precautionary Statements (Disposal):  
P501 Dispose of contents/container to hazardous or special waste collection point.

### Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

#### Labeling of special preparations (GHS):

Product contains the following components and may cause an allergic skin reaction: 1-Naphthalenamine, N-phenyl-

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

Low hazard for usual industrial or commercial handling.

## 3. Composition / Information on Ingredients

**According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
80939-62-4	>= 1.0 - < 3.0 %	Amines, C11-14-branched alkyl, monohexyl and dihexyl phosphates
90-30-2	>= 0.1 - < 0.2 %	1-Naphthalenamine, N-phenyl-

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

This product is not regarded as hazardous under current OSHA Hazard Communication standard; CFR 29 Part 1910.1200.

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash thoroughly with soap and water.

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 3/9  
(30535779/SDS\_GEN\_US/EN)

---

If irritation develops, seek medical attention.

### **If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

### **If swallowed:**

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

### **Indication of any immediate medical attention and special treatment needed**

#### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
water jet

### **Special hazards arising from the substance or mixture**

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

### **Further information:**

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

---

## **6. Accidental release measures**

### Further accidental release measures:

High risk of slipping due to leakage/spillage of product.

### Further accidental release measures:

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 4/9  
(30535779/SDS\_GEN\_US/EN)

High risk of slipping due to leakage/spillage of product. Clean up spills immediately.

### **Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Keep people away and stay on the upwind side. Breathing protection required.

### **Environmental precautions**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

### **Methods and material for containment and cleaning up**

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

---

## 7. Handling and Storage

### **Precautions for safe handling**

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

### **Conditions for safe storage, including any incompatibilities**

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

---

## 8. Exposure Controls/Personal Protection

### **Advice on system design:**

No special precautions necessary.

### **Personal protective equipment**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

#### **Hand protection:**

Chemical resistant protective gloves

#### **Eye protection:**

Safety glasses with side-shields.

#### **Body protection:**

Protective suit

#### **General safety and hygiene measures:**

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Segregate from foodstuffs. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Store work clothing separately.

---

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 5/9  
(30535779/SDS\_GEN\_US/EN)

### 9. Physical and Chemical Properties

Form:	liquid	
Odour:	slight odour	
Odour threshold:		No applicable information available.
Colour:	light amber	
pH value:		insoluble
pour point:	<= -40.0 °C	(ASTM D97)
Boiling point:		not determined
Sublimation point:		No applicable information available.
Flash point:	>= 190.00 °C	(ASTM D92)
Flammability:	not flammable	
Lower explosion limit:		For liquids not relevant for classification and labelling. The lower explosion point may be 5 - 15 °C below the flash point.
Upper explosion limit:		For liquids not relevant for classification and labelling.
Autoignition:		not determined
Vapour pressure:		The product has not been tested.
Density:	0.86 g/cm <sup>3</sup> 0.8500 - 0.9000 g/cm <sup>3</sup>	( 20 °C) ( 15.6 °C) (ASTM D4052)
Relative density:		No applicable information available.
Partitioning coefficient n-octanol/water (log Pow):		Study scientifically not justified.
Self-ignition temperature:		not self-igniting
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	<= 120,000.00 mPa*s	( -40 °C)
Viscosity, kinematic:	17.00 - 18.00 mm <sup>2</sup> /s	( 100 °C) (ASTM D445)
Solubility in water:		( 25.0 °C) practically insoluble
Solubility (quantitative):		No applicable information available.
Solubility (qualitative):	No applicable information available.	
Evaporation rate:		Value can be approximated from Henry's Law Constant or vapor pressure.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.	

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 6/9  
(30535779/SDS\_GEN\_US/EN)

Reactions with water/air:	Reaction with:	water
	Flammable gases:	no
	Toxic gases:	no
	Corrosive gases:	no
	Smoke or fog:	no
	Peroxides:	no
	Reaction with:	air
	Flammable gases:	no
	Toxic gases:	no
	Corrosive gases:	no
	Smoke or fog:	no
	Peroxides:	no

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: 0.000 %  
The product does not contain peroxides.

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.  
The product is chemically stable.

### Conditions to avoid

No special precautions other than good housekeeping of chemicals.

### Incompatible materials

strong oxidizing agents, strong bases, strong acids

### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

## 11. Toxicological information

### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Primary routes of entry

Inhalation.

Dermal contact.

Ingestion.

### Acute Toxicity/Effects

Acute toxicity

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 7/9  
(30535779/SDS\_GEN\_US/EN)

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. May be harmful if swallowed in large quantities. May cause respiratory irritation.

### Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

### Inhalation

No applicable information available.

### Dermal

No applicable information available.

### Assessment other acute effects

No applicable information available.

### Irritation / corrosion

Assessment of irritating effects: May cause slight irritation.

### Skin

Species: rabbit

Result: non-irritant

### Eye

Species: rabbit

Result: non-irritant

### Sensitization

Assessment of sensitization: A sensitizing effect on particularly sensitive individuals cannot be excluded.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: None known

### Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

### Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

### Other Information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## **Symptoms of Exposure**

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 8/9  
(30535779/SDS\_GEN\_US/EN)

---

### 12. Ecological Information

#### Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish

LC50 > 10 - 100 mg/l

#### Microorganisms/Effect on activated sludge

Toxicity to microorganisms

EC0: > 10 - 100 mg/l

#### Persistence and degradability

Assessment biodegradation and elimination (H2O)

Study scientifically not justified.

#### Bioaccumulative potential

Assessment bioaccumulation potential

Study scientifically not justified.

#### Mobility in soil

Assessment transport between environmental compartments

No data available.

---

### 13. Disposal considerations

#### Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

#### Container disposal:

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Dispose of in accordance with national, state and local regulations.

---

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

# Safety Data Sheet

## Roadranger® SAE 50 Synthetic Manual Transmission Lube

Revision date : 2014/06/30  
Version: 2.0

Page: 9/9  
(30535779/SDS\_GEN\_US/EN)

Not classified as a dangerous good under transport regulations

**Air transport**  
IATA/ICAO

Not classified as a dangerous good under transport regulations

---

### 15. Regulatory Information

#### Federal Regulations

**Registration status:**

Chemical TSCA, US released / listed

**EPCRA 311/312 (Hazard categories):** Not hazardous;

#### State regulations

**CA Prop. 65:**

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

**NFPA Hazard codes:**

Health : 1 Fire: 1 Reactivity: 0 Special:

**HMIS III rating**

Health: 1 Flammability: 1 Physical hazard: 0

---

### 16. Other Information

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Due to the merger of Cognis and BASF Group all (Material) Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes to the (Material) Safety Data Sheets. In case you have questions concerning such changes please contact us at the address mentioned in Section 1.

END OF DATA SHEET