

INDEX

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

A

Above-ground storage of liquid materials, 1-5, 4-12-14
Above-ground storage tank, 1-5, 4-12-14
Access for operations and maintenance, 2-27
Access riser, 2-130
Alternative method of source control, 4-5
Amendment process, A-14
Anti-seepage collar, 2-111
Appeals process, A-12
Applicant, 1-5
Approved receiving system, 1-5

B

Baffle riser, 2-24
Batch discharge, 1-5, 4-11, 13, 30, 31
BDS, 1-5
Berm embankment, 2-110
BES, 1-5
Bioretention facility, 1-5
Bioswale, 1-9, see *grassy swale*
Brownfield (recycled land), 1-13, 4-28-35
Bulk fuel terminal, 1-5, 4-8-11
Bulk materials, 1-5, 4-18-20

C

Capacity, 1-6
Cascade Station/ PIC Plan District, 2-155
Catch Basin, 1-6
Checklist of calculations to be included in a stormwater report, 2-8
City Code Chapter 17.38, A-2-10
Clean Water Act, 1-24
Columbia South Shore Plan District, 2-155

- Combined or combination sewer, **1-6**
 - flow control requirements, **1-34**
 - pollution reduction requirements, **1-28**
- Commercial sources for native plant material, **F-18**
- Constructed treatment wetland, **1-6, 2-117-122**
- Contained planter, **1-6, 2-49-52, App G, App H**
- Containerized, **1-6**
- Containment, **1-6, 4-4, 7, 9-14, 19, 20, 29, 35, 38**
- Control structure, **1-6, 2-21-26**
- Conveyance, **1-7, 20, 21**
- Covered vehicle parking areas, **1-7, 4-36**
- CSO (combined sewer overflow), **1-7**
- Curve number, **App C**

D

- Data evaluation, **B-14, 15**
- Deciduous trees, **2-55**
- Definitions, **1-5-16**
- DEQ, **1-7, 22, 23**
- Destination, **1-7, 17-23**
 - hierarchy, **1-18, 19**
 - standards, **1-20, 21**
- Detention, **1-29-31**
 - facility, **1-7, 29**
 - tank, vault, or oversized pipe, **1-7, 2-125-132**
- Development, **1-7**
- Development footprint, **1-7**
- Discharge permits, **4-6**
- Discharge to existing systems, **1-39**
- Disposal, **1-7, 17-23**
 - hierarchy, **1-18, 19**
 - standards, **1-20, 21**
- Downsizing, **2-4**
- Drainage basin, **1-8**
- Drainageway, **1-8**
- Driveway, **1-8**
- Dry detention pond, **1-8, 2-125-132, App G, App H**
- Drywell, **1-8, 2-159-166**
 - details, **2-164, 165**
 - sizing chart, **2-162**
- Dumpsters, **4-15**

E

East-side soakage trench, 2-145, 146
Ecoroof, 1-8, 2-37-44, **App G, App H**
Emergency overflow spillway, 2-109
End wall, 2-33
EPA (Environmental Protection Agency), 1-24
Equipment and/or vehicle washing facilities, 1-8, 4-25-27
Evergreen trees, 2-55
Examples, “**How to Use**”-1-40
Existing systems, 1-39
Existing trees, 2-56
Extended wet detention pond, 1-8, 2-125-132, **App G, App H**
Exterior materials storage area, 1-8
Exterior storage of bulk materials, 1-9, 4-18-20

F

Facility selection and design, 2-35
Falling head test, 2-20
FAR ecoroof bonus, 2-43
Fencing, 2-112
Fertilizers, F-15
Filter bed medium (sand filter), 2-96
Flow chart, “**How to Use**”-2
Flow control, 1-9, 29-35
 areas where flow control may not be required, 1-33
 combined sewer system, 1-34
 facility, 1-9
 requirements, 1-32-35
 summary, 1-35
Flow-through planter, 1-9, 2-61-64, **App G, App H**
Forms
 O&M (general operations and maintenance), 3-7
 O&M example, 3-8
 O&M (facility-specific operations and maintenance), 3-10-28
 SC (special circumstances), 1-42, 43
 SIM (simplified approach sizing), 2-5, 6
 Source Control Installations, 4-38
 Special Requests (for source controls), 4-39, 40
Fuel dispensing facilities, 1-9, 4-8-11

G

Garbage cans, 4-15
Grass seed mix, F-14
Grassy swale, 1-9, 2-69-76, **App G**, **App H**
Groundwater resource protection areas, 2-155

H

Hazardous material, 1-9, 4-14, 20, 24
 containment zone, 1-10
High-risk site, 1-10, 4-6
Hydrographs, 1-31, **App C**
Hydrologic analysis requirements, 2-15
 conveyance, 2-16
 destination/ disposal, 2-16
 flow control, 2-15
 method resources,
 HEC-1, 2-16
 Rational Method, 1-25
 SBUH (Santa Barbara Urban Hydrograph), 1-14, 25, 2-16, **App C**
 SCS TR55, 2-16
 SWMM, 2-16
 pollution reduction, 2-15

I

Impervious surface/ area, 1-10
Infiltration, 1-10, 18-20
 planter, 1-10, 2-57-60, **App G**, **App H**
 sump system, 2-149-158
 testing, 2-17-20
Inflow riser manhole, 2-116
Inlet, 1-10
Insect/ vector control, 3-11-27
Irrigation, 2-29

J

K

L

Laboratory testing, **2-19, B-9**
Landscape, **1-10, App F**
 requirements, **2-27-29**
 screening, **F-17**
LD-50, **1-10**
Lines of comparable performance, **B-14, 15**
Liquid materials, **4-12-14**
Loading docks, **4-21-24**
Local dispensing location, **1-10**

M

Maintenance, **Ch 3**
Manufactured Stormwater Treatment Technology, **1-11, 2-123, 124**
Material transfer areas/ loading docks, **1-11, 4-21-24**
Maximum Extent Practicable (MEP), **1-11**
Metro, **2-79**
Mulch, **F-17**
Multi-level parking structure, **1-11, 4-36**

N

Native plants, **2-27, App F**
Native seed, **F-14**
Native trees, **App F**
New trees, **2-55**
NPDES (National Pollution Discharge Elimination System), **1-24**
NRCS soil groups, **C-6**
NRCS Type 1A rainfall distribution, **1-25, C-2**

O

Off-site stormwater facility, **1-11**
Off-site management fee, **1-41**
Oil control, **1-28**

Oil-water separator, 1-28, 2-133-136
On-site stormwater facility, 1-11
Open channel, 1-11
Open drainageway policies, 1-36, 37
Operations and Maintenance, 1-11, **Ch 3**
 submittal requirements, 3-2, 3
Orifice, 2-21-26
Orifice location baffle riser, 2-24
Orifice location tee riser, 2-23
Orifice structure, 2-25
Outfall, 1-11
 design, 2-29-34
 end wall, 2-33
 grated protection detail, 2-34

P

Parking area, 1-11
Parking lots, 1-38
 trees, F-20-23
Particle size distribution, B-9
PDOT, 1-11
Performance approach, 2-14
Permeable pavement, 1-12, 2-45-48, **App G, App H**
Pervious pavement, 1-12, 2-45-48, **App G, App H**
Pesticides, F-15
Photos, **App H**
Piped flow, 1-21
Plant lists, **App F**
Planters,
 contained, 1-6, 2-49-52, **App G, App H**
 flow-through, 1-9, 2-61-64, **App G, App H**
 infiltration, 1-10, 2-57-60, **App G, App H**
Planting bed soils, 2-29, F-16
Policy framework, A-11
Pollutant, 1-12, 24
 of concern, 1-12, 24, 26, 27
Pollution reduction, 1-12, 24-28, B-4, 5, **App E**
 combined sewer areas, 1-28
 facility, 1-12
 requirements, 1-25-28

Ponds, 2-101-116, **App G, App H**
dry detention, 2-101-116, **App G, App H**
extended wet, 2-101-116, **App G, App H**
wet, 2-101-116, **App G, App H**
Porous pavement, 1-12, 2-45-48, **App G, App H**
Portland plant list, F-20
Post-developed condition, 1-12
Practicable, 1-12
Pre-developed condition, 1-12
Presumptive approach, 2-7
Private management, 1-40
Private drywell, 2-159-166
Private soakage trench, 2-141-148
Public facility, 1-13
Public infiltration sump system, 2-149-158
Public vs. private stormwater management, 1-40
Public works project, 1-13

Q

R

Rainwater Harvesting, 1-13, 2-137-140, **App H**
Rational method, 1-25, 2-151
Re-use (stormwater), see *rainwater harvesting*
Recycled land (brownfields), 1-13, 4-28-35
Redevelopment, 1-13
Retention, 1-29-32
Facility, 1-13, 29
Rip rap, 2-29
class selection, 2-32
Roadway, 1-13
Rock protection at outfalls, 2-31
Roof garden, 1-13, 2-37-44, **App G, App H**
Rooftops, 1-28
Runoff, 1-14

S

Sampling manhole, 4-20, 31, 33
Sand filter, 1-14, 2-93-100, **App G, App H**

Sanitary sewer discharge limits, **4-6**, 13, 26, 27, 30, 32

Santa Barbara Urban Hydrograph (SBUH), **1-14**, 25, **2-16**, **App C**

Screening, **F-17**

SCS TR55, **2-16**

Secondary riser stack, **2-108**

Sediment testing, **B-8**

Sedimentation manhole, **2-154**

Seed mix, **F-14**

Sewer design manual, **1-20**, **2-127**

Shut-off valve, **4-9**, 10, 11, 14, 20, 23, 24, 35, 38

Signage, **2-112**, **4-4**, 5, 9, 14, 20, 23, 37

SIM form, **2-5**, 6

Simplified Approach, **2-2-6**
 sizing, **2-5**, 6

Site preparation and grading, **F-16**

Soakage trench, **1-14**, **2-141-148**
 east-side, **2-145**, 146
 west-side, **2-147**, 148

Soil stabilization, **2-110**

Soil types, **C-6**

Soils, **F-16**

Solid waste storage areas, containers, and trash compactors, **1-14**, **4-15-17**

Source controls, **Ch 4**

Special circumstances, **1-41-43**
 Form SC, **1-42**, 43

Spill containment, **4-9**, 12

Spill control manhole, **2-133-136**

Spill response supplies, **4-5**, 6

Storage areas
 bulk materials, **4-19**, 20
 liquid materials, **4-12-14**
 solid waste, **4-3**, 15-17

Storm sewer, **1-21**

Stormwater, **1-14**
 Advisory Committee (SAC), **A-11**
 discharge limits, **4-13**
 facility landscaping, **1-14**, **2-27**, 28
 management, **1-14**
 management facility, **1-14**, **Ch 2**
 Policy Advisory Committee (SPAC), **A-11**
 re-use, **1-14**, **2-137-140**, **App H**

Storms, **1-25**, **B-4**, **C-3**, 7, **App E**

Street swale, **1-14**, **2-77-84**, **App G**, **App H**

Structural detention facility, 2-125-132
Sump, 1-15, 2-149-158
Sump and sedimentation manhole diagram, 2-152
Surface conveyance, 1-15, 20
Surface infiltration facility, 1-15
 design approach, 2-9-13
 setback detail, 2-13
Surface retention facility, 1-15
Swales,
 Grassy, 1-9, 2-69-76, **App G, App H**
 Street, 1-14, 2-77-81, **App G, App H**
 Vegetated, 1-16, 2-65-68, **App G, App H**
SWMM, 2-16

T

Tanks (detention), 1-7, 2-125-132
Tee riser, 2-23
Tenant improvements, 1-15, 4-2, 38
Testing protocol, **App B**
Tier one appeal, A-12
Tier two appeal, A-13
Time of concentration (TofC), 1-15, C-1, 2
TMDLs (Total maximum daily loads), 1-26, 27
Topsoil, 2-29, F-16
Total suspended solids (TSS), 1-15, B-9
Toxic substance use reduction, F-15
Trash compactors, 4-15-17
Trash containers, 4-15-17
Trash racks, 2-34
Tree credits, 2-53-56
 existing, 2-56
 new, 2-55
 parking lot, F-20-23
 planting detail, F-19
Trigger for manual compliance, 1-2
 for pollution controls, 4-3
TSS, see *total suspended solids*

U

Underground Injection Control (UIC), 1-15, 22, 23, 2-142, 150, 160
Update and amendment process, A-14

V

V-notch weir, 2-26
Vaults (detention), 1-7, 2-125-132
Vector control, 3-11-27
Vegetated facilities, 1-15, **Ch 2**
Vegetated filter, 1-16, 2-85-88, **App G, App H**
Vegetated infiltration basin, 1-16, 2-89-92, **App G, App H**
Vegetated swale, 1-16, 2-65-68, **App G, App H**
Vegetation management, 3-11-27
Vehicle traffic areas, 1-28
Vehicle washing areas, 4-25-27
Vendor submission guidance for
 evaluating stormwater treatment technologies, **App B**

W

Water body, 1-16
Water quality, 1-16, see *pollution control*
Watercourse, 1-16
Weirs, 2-26
West-side soakage trench, 2-147, 148
Wet pond, 1-16, 2-101-116, **App G, App H**
Wetland, 1-16
 Constructed treatment, 2-117-122, **App H**

X

Y

Z