


## Buildable Lands Inventory - Summary of Future Development Capacity



## Planning and Sustainability Commission Recommended Draft (Amended) September 2012



Bureau of Planning and Sustainability  
Innovation. Collaboration. Practical Solutions.



City of Portland, Oregon | Bureau of Planning and Sustainability | [www.portlandonline.com/bps](http://www.portlandonline.com/bps)  
1900 SW 4th Avenue, Suite 7100, Portland, OR 97201 | phone: 503-823-7700 | fax: 503-823-7800 | tty: 503-823-6868

Printed on 100% post-consumer waste recycled paper.

## Acknowledgements

---

Mayor Sam Adams, Commissioner-in-Charge

Susan Anderson, Director, Bureau of Planning and Sustainability  
Joe Zehnder, Chief Planner  
Eric Engstrom, Principal Planner  
Deborah Stein, Principal Planner  
Tom Armstrong, Supervising Planner

Alexandra Howard, Program Coordinator  
Michelle Kunec, Management Analyst  
Marty Stockton, Community Outreach Specialist  
Eden Dabbs, Communications  
Kevin Martin, Technical Services Manager  
Al Burns, Sr. City Planner  
Mark Walhood, City Planner II  
Bill Cunningham, City Planner II  
Emily Sandy, City Planner II  
Uma Krishnan, Demographer  
Julie Hernandez, Web design  
Elizabeth Milner, Community Service Aide

Courtney Duke, Bureau of Transportation  
Marie Johnson, Bureau of Environmental Services



This report was funded in part with a grant from the Oregon  
Department of Land Conservation and Development (DLCD).

To help ensure equal access to City programs, services and activities, the City of Portland will reasonably modify policies/procedures and provide auxiliary aids / services to persons with disabilities. Call 503-823-7700 with such requests.

# Buildable Lands Inventory - Summary of Future Development Capacity

---

## Table of Contents

1. Introduction: Managing Expected Growth
2. Population and Employment Forecast
3. Buildable Land Inventory Methodology
4. Residential Land Summary
5. Employment Land Summary
6. Next Steps

Appendix A. Development Capacity Analysis (DCA) GIS Model Methodology

Appendix B. 2011 Central City Development Capacity Report

Appendix C. Constraint Maps and Analysis

## **1. Introduction: Managing Expected Growth**

---

In recent decades, the Portland metropolitan region and the City of Portland experienced a steady increase in population. In 1980, the city's population was about 368,000 residents. By 2010, the population had grown to more than 584,000 residents.

Much of this growth was a result of new city boundaries. In the 1980s and 1990s, the City of Portland annexed much of the city referred to as East Portland and Cully, as well as some smaller areas in North and Southwest Portland, greatly expanding the city's boundaries. Other growth can be attributed to people having children and new Portlanders arriving from across Oregon, the nation and beyond. Portland also has experienced significant residential infill development.

Oregon's statewide planning system requires cities to maintain an adequate supply of land to accommodate at least 20 years of future growth. State statutes and administrative rules establish procedures that each city must follow to demonstrate that they have enough buildable land to meet the projected need for housing and employment.

In the future, it is unlikely that Portland's boundaries will change, but Portland is expected to continue to grow and develop. In another 25 years, how many people will live on Portland's nearly 93,000 acres? Where in the city will people choose to live? What kinds of jobs will Portlanders have? To answer those questions, Portlanders will need to figure out how to manage change, direct investments and work smarter within existing city limits.

## 2. Population and Employment Forecasts

### Who develops household and employment forecasts?

Metro, our regional government, is responsible for developing a forecast that estimates the expected population and employment growth for the next 20 and 50 years. Metro allocates this forecast to individual jurisdictions, including Portland. The City of Portland has an obligation under State law to coordinate with Metro and ensure that our planning work is consistent with this forecast.

### Why are forecasts important?

Forecasts help the City of Portland plan responsibly. Population growth triggers the need for new housing and a complex web of additional urban services, from water pipes and sewers to parks and open spaces, roads, schools and hospitals, all of which need to be planned far in advance. Employment forecasts tell the City of Portland what kind of land will be needed to help the economy grow and which types of businesses are likely to provide jobs over the next generation. The forecasts help Portlanders make informed decisions about how to manage land, where and when to invest in infrastructure - like transportation and utilities - and which policies and programs should be continued and enhanced and which should not.

### How do Metro's household and employment forecasts work?

Metro uses data from the forecasting firm Global Insight to create a long-range forecast for the region. In October 2011 the Metro Council adopted the latest growth forecast. Metro expects continued population growth, with nearly 1 million new residents and 540,000 new jobs in the greater Portland region.

Using this regional forecast, Metro estimates the distribution of households and jobs to individual cities based on a computer model called Metroscope. For transportation planning purposes, Metro extrapolates this forecast out to the year 2045. Based on the November 2011 Metro allocation, Portland is expected to grow by 132,000 households and 147,000 jobs by 2035.

**Table 1. 2010-2035 Portland Growth Forecast**

	2010	2035	Change
Households	254,328	386,579	132,251
Employment	369,440	516,440	147,000

Source: BPS analysis of November 2011 Metro "GAMMA" Forecast

## 2. Population and Employment Forecasts (cont.)


### Household Forecast

The 132,000 new Portland households represents a 27% capture rate of the regional growth, which is consistent our historic capture rates. This growth rate is about 5,300 units per year. For context, approximately 31,000 new dwellings were built in Portland over the past decade. During the most recent housing boom (2004 to 2008) growth rates reached approximately 4,500 new dwellings each year.

One way to understand what might happen in the future is to evaluate past trends. The map below illustrates where new housing has been developed over the past decade. Taller, darker lines indicate a greater number of new dwelling units.

Nationally, regionally and within the city, household size is projected to decline in coming years. In 2005, 28 percent of households included children. By 2035, 25 percent of Portland households are expected to include children. As a result, demand is expected to be highest for multi-family units. Currently, about 61 percent of the existing dwellings are single family detached homes. In contrast, during the most recent decade (2001 to 2010) only 28 percent of new housing units in Portland were single-family detached homes.

More information is available in the **Housing Demand and Supply Background Report**.



## 2. Population and Employment Forecasts (cont.)

### Employment Forecast

The City of Portland employment forecast is based on the Metro regional forecast of job growth. Employment in the Portland region is expected to increase from just under 1 million jobs in 2010 to nearly 1.5 million in 2035 - with an average annual growth rate in the range of 1.8% per year over the 2010-2035 period.

Metro allocates Portland 147,000 new jobs over the 2010-35 forecast period - an annual average growth rate of 1.3% and a 27% capture rate of regional employment growth - which is consistent with historic rates.

Table 2 shows the distribution of the employment forecast by sector. The institutional sectors (health and education) account for nearly 53,000 new jobs or 36% of the growth. While the manufacturing sector declines slightly as consistent with national and regional forecast expectations, the warehousing and distribution sectors are expected to see strong growth with over 16,000 new jobs by 2035.

**More information is available in the Economic Opportunity Analysis.**

**Table 2. City of Portland Employment Forecast by Sector**

Employment Sector	2010	2035	Job Change 2010-35	Avg Rate of Growth 2010-35
Agriculture & Mining	392	357	(35)	-0.4%
Construction	14,224	21,765	7,541	1.7%
Manufacturing	25,035	24,328	(707)	-0.1%
Wholesale Trade	18,009	23,250	5,241	1.0%
Retail Trade	31,060	33,309	2,249	0.3%
Transportation, Warehousing & Utilities	23,676	35,345	11,669	1.6%
Information	9,640	13,906	4,266	1.5%
Finance	17,048	24,524	7,476	1.5%
Real Estate	7,946	15,527	7,581	2.7%
Professional Services	26,943	39,268	12,325	1.5%
Management	14,322	21,910	7,588	1.7%
Administrative Services	18,449	28,404	9,955	1.7%
Educational Services	37,937	61,838	23,901	2.0%
Health & Social Services	50,616	79,702	29,086	1.8%
Arts, Entertainment & Recreation	6,741	8,582	1,841	1.0%
Accommodation & Food Services	35,102	44,686	9,584	1.0%
Other Services	16,802	23,318	6,516	1.3%
Government (Civilian)	15,498	16,422	924	0.2%
<b>TOTAL EMPLOYMENT</b>	<b>369,440</b>	<b>516,440</b>	<b>147,000</b>	<b>1.3%</b>


Source: E. D. Hovee & Company, LLC based on Metro Gamma forecast, November 2011.

### 3. Buildable Lands Inventory Methodology

The Buildable Lands Inventory (BLI) is an estimate of how much development potential is possible under current city plans and zoning. It is a tool to help us understand where future development might occur in Portland and whether our zoning and regulations allow for the development capacity needed to accommodate the projected household and job growth. Based on where the projected growth occurs, we can plan to address the impacts of that growth. To help answer questions like these, the City of Portland uses its own computer model to estimate “development capacity” and describe where growth might occur in the future. Development capacity is defined as the likely number of new dwelling units or jobs that could be accommodated in the city under existing regulations, assuming the continuation of recent development trends. The BLI by itself does not consider or predict market demand for new construction. It only identifies lands that could potentially be available for development, should a market demand exist.

The BLI is one of the key assumptions in the City’s comprehensive planning process. Eventually, the BLI will inform development of several different growth scenarios, each of which will describe a different approach to shaping future growth. From that, a preferred scenario will be developed that will form the basis for updates to the Comprehensive Plan.

The BLI is developed through a series of steps or analyses to derive the development capacity estimate:



While the BLI is based on the same basic steps, there are variations and different assumptions for the residential and employment analyses. These differences are due in part to the differences in the overall zoned capacity for the different land uses. Overall, there is an excess supply of residential capacity that allows us to be less precise. Whereas, with the employment side there shortfalls for certain categories, therefore we want to be more precise in our assumptions. A separate report entitled **Development Capacity Analysis (DCA) GIS Model** describes the methodology used for this step (see Appendix A). A more detailed analysis of the Central City was conducted to estimate the development potential in this area (see Appendix B).

### 3. Buildable Lands Inventory Methodology (cont.)

---

The basic methodology to identify the buildable land is as follows:

**Step 1 Estimate the gross acreage of land that is available for development and redevelopment.**

The estimate includes an inventory of the vacant sites in the city plus a selection of other sites that are underdeveloped and likely available for redevelopment. The underdeveloped or underutilized sites are generally defined as sites that have less than 20 percent of the allowed building square footage. The DCA model uses existing building area to calculate the likelihood of redevelopment based on the rationale that parcels with smaller building coverage compared to what is allowed by current zoning regulations are likely to redevelop given the potential for a new larger building to absorb the value of the existing building into the development costs.

**Step 2 Subtract development capacity due to constrained lands.**

Constrained lands include sites that lack needed urban infrastructure (for example, sites without sewer service), or have physical or regulatory barriers to development (such as environmentally sensitive areas, historic landmarks, flood hazards, etc.). The level of constraints vary by the type of constraint and the type of land. A separate report describes the methodology used to identify constraints and estimate their impact on development (see Appendix C).

**Step 3 Adjust for other development factors.**

In this step, the capacity estimate for some areas may be adjusted upward or downward by some factor to account for public infrastructure investments, mixed use development, and market factors. The capacity is adjusted for near term public infrastructure projects that part of our capital improvement program. For mixed use areas, the development capacity is split between residential and commercial space. Market factors are applied to

**Result Buildable Land Inventory**

The result is an inventory of land that has capacity to accommodate additional development (The BLI). This inventory represents an aggregated supply-side analysis and does not necessarily mean any specific property will develop within the 2035 planning horizon.

**Next Steps Adjust for changes to the Comprehensive Plan Map.**

This future step will adjust the development capacity analysis based on proposed Comprehensive Plan Map changes.

## 4. Residential Development Capacity Summary

### Step 1: Gross Development Potential

The Comprehensive Plan sets the limits about what kind of development may occur in different parts of the city. The map at right illustrates how much development intensity is allowed under the current Comprehensive Plan and zoning. Darker areas represent areas with the greatest allowances for new development.

Vacant land is the most obvious location for future development. However, Portland is a landlocked city with a decreasing supply of vacant land and little opportunity to add additional land along our borders.



In addition to vacant land, the Development Capacity Analysis identifies land that is underdeveloped or underutilized. These sites are counted as likely to redevelop in the next 25 years because the relatively low amount of existing development makes new development financially feasible.

#### 4. Residential Development Capacity Summary (cont.)

##### Vacant and Underutilized Land

The housing capacity was calculated only for properties that are considered vacant or underutilized. Assumptions were made to identify these properties based on their zoning and location:

Non-vacant parcels are individually identified as “significantly underutilized” if they are below the capacity utilization threshold defined for their comprehensive plan designation. The following assumptions determine whether a parcel is above or below this utilization threshold:

**Single-family residential parcels (R2.5, R5, R7, R10, R20 & RF zones):** single-family residential (SFR)-zoned parcels that can be subdivided into 3 or more parcels are mapped as underutilized. Note that the number of allowed parcels is rounded differently based on the maximum number of parcels. Refer to the Single-Dwelling Zones Land Division Guide for more information.

##### Multi-family residential parcels (R1, R2, R3, RH, RX & IR zones):

- a. *Central City:* parcels are mapped as underutilized if they are using less than 20% of their allowed multi-family units AND the parcel's improvement-to-land value ratio is 50% or less. Existing units are calculated using Metro's regional Multifamily Housing Inventory. Improvement-to-land ratios are calculated using Multnomah County Assessor real market land and improvement (building) values for the current tax year.
- b. *Outside the Central City but within 500' of a “frequent service” transit line:* mapped as underutilized if they are using less than 20% of their allowed multi-family units (regardless of the improvement-to-land ratio). Improvement and land values are not as accurate or consistently recorded outside Portland's Central City, so they are not used in other parts of the City at this time. Frequent service transit lines are defined as bus and light rail lines that run every 15 minutes or better during weekday peak hours.
- c. *All other parcels:* mapped as underutilized if they are using less than 10% of their allowed multi-family units (regardless of the improvement-to-land ratio).

**Commercial mixed-use parcels (CN, CM, CS, CG, CX, & EX zones):** Most of our commercial land use zones allow residential uses and over the last 15 years Portland has seen a significant amount of mixed-use, residential development in these areas. The amount of residential capacity in these commercial areas is based on the mixed-use adjustment factor in the employment capacity analysis (see Table 11).


#### 4. Residential Development Capacity Summary (cont.)

##### Step 2: Constraint Analysis

Constrained land is a term used to identify land features that may limit the intensity of future development (and therefore the distribution of future housing or jobs). State planning rules identify a list of specific constraints that must be considered, at minimum. Additional constraints may also be identified.

Constraints could be the market, regulations, infrastructure-related, and/or physical factors that impact development feasibility. The term “constraint” does not imply that these factors are necessarily undesirable or leading to negative outcomes. For example, land near the bank of a river may be considered fully or partly “constrained” from reaching full zoned capacity for housing and jobs, but in reality the closeness to natural areas or a river may increase the desirability of a parcel and likelihood of development. Maps of the constraints and a more detailed description of how these constraints were evaluated are found in Appendix C.

The residential and employment constraint methodology starts with the same base layers, but uses different methods to determine the discount factors.



#### 4. Residential Development Capacity Summary (cont.)

##### **Residential Constraints**

Tables 3-7 summarize the residential constraints considered in this analysis. The constraints are characterized as high, medium, or low based on consultation with the City of Portland's development review staff at the Bureaus of Development Services, Transportation, Water, and Environmental Services. The BLI model translates these into the following assumptions: None = No capacity reduction (impacted land area assumed to have full capacity); Some (Low) = Model reduces capacity of impacted area by 15%; Some (Medium) = Model reduces capacity of impacted area by 45%; Some (High) = Model reduces capacity of impacted area by 80%; Full = 100% capacity reduction (no assumed capacity for impacted land area).

**Table 3. Infrastructure Constraints**  
**ID Constraint Layer**

A	B	C	D	E	Impact on Residential Capacity
<b>A Transportation (Vehicular Level of Service)</b>					
A1 2008 Transportation Network PM Peak 2 hours Volume to Capacity Ratio	B1 Improved and Unimproved Streets	C1 Water System	D1 Development Assumptions for Sanitary Sewer	E1 Stormwater System	Low
A2 Neighborhoods where Majority of Streets Meet Connectivity Standards	B2 Pedestrian System	C2 Water Deficient Service Areas		E2 Depth to Seasonal Groundwater	Low
A3 ODOT Highway Interchanges				E3 Soil Infiltration Capacity	Low
<b>B Transportation (Other)</b>				E4 Well-field Protection Areas	Low
B1 2008 Transportation Network PM Peak 2 hours Volume to Capacity Ratio					
A2 Neighborhoods where Majority of Streets Meet Connectivity Standards					
A3 ODOT Highway Interchanges					
<b>C Water</b>					
C1 Water System					Low
C2 Water Deficient Service Areas					Low
<b>D Sewer</b>					
D1 Development Assumptions for Sanitary Sewer					Low
<b>E Stormwater</b>					
E1 Stormwater System					Low
E2 Depth to Seasonal Groundwater					Low
E3 Soil Infiltration Capacity					Low
E4 Well-field Protection Areas					Low

#### 4. Residential Development Capacity Summary (cont.)

**Table 4. Environmental Feature Constraints**

ID	Constraint Layer	Impact on Residential Capacity
<b>G Natural Resource Features</b>		
G1	Streams, Lakes, rivers, and other water bodies	Full
G2	Wetlands	Medium
G3	Forests	None
G4	Flood Areas (equivalent to layers N8-N10)	None
G5	Groundwater Recharge Areas	None
<b>H Natural Resources Inventory (NRI)</b>		
H1	NRI - Low Ranked Resource Areas	None
H2	NRI - Medium Ranked Resource Areas	None
H3	NRI - High Ranked Resource Areas	None
H4	NRI - Special Habitat Areas (with no riparian or wildlife habitat ranks)	None
<b>N Land Hazard Features</b>		
N1	Potential Landslide Hazard Areas	None
N2	All Slopes over 25%	Low
N3	DOGAMI Digital Landslide Database (SLIDO)	Low
N4	DOGAMI Landslide Hazard Zones (IMS-22)	Low
N5	DOGAMI Database IMS-1 (Earthquake Hazards)	None
N6	DOGAMI Database IMS-16	None
N7	FEMA 100-Year Floodplain Map	Medium
N8	FEMA Floodway Map	Full
N9	1996 Actual Flooded	None
N10	Wildfire Hazard Map	None
<b>L Environmental Overlay Zones</b>		
L1	Environmental Conservation Zones	None
L2	Environmental Protection Zones	Full

#### 4. Residential Development Capacity Summary (cont.)

**Table 5 Brownfields Constraints**

ID	Constraint Layer	Impact on Residential Capacity
<b>O Potentially Contaminated Lands</b>		
O1	DEQ Environmental Cleanup Sites (ECS)	Low
O2	DEQ Confirmed Release Sites (CRL)	Low
O3	DEQ Underground Storage Tanks (UST)	Low

**Table 6. Low Level Constraints**

ID	Constraint Layer	Impact on Residential Capacity
<b>M Significant Cultural Resources</b>		
M1	Historic and Conservation Districts	Low
M2	Historic and Conservation Landmarks	Medium
M3	Areas Requiring Archeological Scan or Consultation with Native American tribal governments	None
<b>I Inventory of Scenic Areas</b>		
I1	Views	Low
I2	Sites	None
I3	Corridors	None

#### 4. Residential Development Capacity Summary (cont.)

**Table 7 Other Constraints**  
**ID Constraint Layer**

<b>F</b>	<b>Airport Flight Limitations</b>	<b>Impact on Residential Capacity</b>
F1	Approach and Departure Cones	Low
F2	Noise Contours (areas above LDN 65 and 68 noise contours)	Varies - See Appendix C
F3	Heliport Landing (impacts several buildings near Portland Heliport)	Low
J	<b>Open Space</b>	
J1	OS Comprehensive Plan Map Designation	Full
J2	Lots with Open Space Tax Assessment	Full
J3-5	Lots with Riparian, Farm, Forest Tax Assessment	Full
K	<b>Air Quality</b>	
K1	Risk of Exposure to Outdoor Toxic Air Pollutants	None
P	<b>Public Land</b>	
P1	Publicly Owned Lots/Parcels (excl. those that provide residential uses).	High
P2	Public and Private Rights of Way	Full
P3	Beds and Banks of Navigable Waterways	Full
P4	Private Common Open Space	Full
P5	Institutional Campuses	Full
Q	<b>Rural Land</b>	
Q1	Land within the City but beyond the Urban Growth Boundary	Full


## 4. Residential Development Capacity Summary (cont.)

### Overlapping Constraints

In addition to considering the individual constraints noted above, residential properties subject to multiple overlapping constraints were identified. Specifically, properties were assigned an additional “Medium” constraint if four or more of the following “Low” constraints were present in one location:

- Transportation (A, B)
- Water (C)
- Sewer (D)
- Stormwater (E)
- Environmental Overlays (L)
- Contamination (O)

This additional factor is intended to account the additional complexity of development sites with multiple overlapping infrastructure constraints and/or environmental concerns. Natural land feature layers (such as steep slopes, wetlands, large forests, etc.) were not separately incorporated into this evaluation because in most cases these features are found within the Environmental Overlay layer.



---

#### 4. Residential Development Capacity Summary (cont.)

##### **Residential Capacity Results**


Zoned capacity in Portland is sufficient to meet projected housing need; that is, enough land in Portland is currently zoned to accommodate the projected number of new households. There are approximately 250,000 households in Portland today. The total estimated residential capacity of the city, with the existing Comprehensive Plan designations and evaluating the degree of impact from the constraints is 231,500 units.

About 15 percent of that capacity is in land available for single dwelling residential development (detached or attached homes on their own lot). The largest concentration of single dwelling capacity is in East Portland in the Powellhurst-Gilbert neighborhood.

At least 14 percent of Portland's capacity is located in the Central City (approximately 33,000 dwellings). For a more detailed study of the Central City's capacity (see the [2011 Central City Development Capacity Report - Appendix B](#)). That report estimated a capacity of 50,000 to 60,000 additional housing units, after considering available development incentives and bonuses.


Outside of the Central City, most of the remaining growth capacity is in mixed use corridors and neighborhood centers. Notable areas of high growth capacity are Gateway, North Interstate Corridor, Lents, Hayden Island, Montavilla, and some areas of East Portland. The areas of town with the least capacity for additional growth are some areas in Northeast Portland and most of West Portland.

#### 4. Residential Development Capacity Summary (cont.)



Above Left: The distribution of existing dwelling units in Portland (2010).


Above Right: Additional new dwelling units allowed by the Comprehensive Plan after considering the likely impact of the constraints. Using this approach, there is a remaining capacity of approximately 231,500 potential new dwellings.



## 4. Residential Development Capacity Summary (cont.)

### 20-Minute Neighborhood Analysis Areas

As part of the Portland Plan analysis, we looked at how different parts of the city were faring in terms of the citywide measures of success. The local analysis areas are shown on the map on this page. Most of these areas are centered on an existing commercial center or main street. They are sized to approximate a walkable distance from those centers. Each area includes several Portland Neighborhood Associations. Table 8 summarizes the capacity estimates for each analysis area. Table 9 summarizes the housing capacity by housing type for each analysis area based on 1999-2011 development trends.



#### 4. Residential Development Capacity Summary (cont.)

**Table 8. Estimated Residential Capacity, by Area (Assumes Current Comprehensive Plan)**


Analysis Zone	2010 Households (Census)	Additional Capacity			Growth Factor	The 'Growth Factor is a way of quantifying the amount of change that is possible in each area. For example, a score of 2.0 would mean that there is capacity to double the number of households in a given area. A score of 1.0 would mean there is little or no capacity for growth. This estimate is based on the amount of vacant and underutilized land available for housing development, how many new dwellings the zoning allows on that land, and factoring in the impact of constraints (e.g., slopes, lack of infrastructure or environmental resources).
		SFR capacity	MFR capacity	Total		
122nd-Division	13,800	4,608	6,731	11,339	1.8	
Belmont-Hawthorne-Division	18,600	1,614	7,211	8,825	1.5	
Centennial-Glenfair-Wilkes	12,000	2,091	9,323	11,414	2.0	
Central City	21,800	30	32,743	32,773	2.5	
Forest Park-Northwest Hills	3,400	1,118	114	1,232	1.4	
Gateway	12,700	2,675	33,388	36,063	3.8	
Hayden Island-Bridgeton	2,500	251	4,969	5,221	3.1	
Hillsdale-Multnomah-Barbur	9,100	1,432	3,471	4,903	1.5	
Hollywood	16,500	909	8,563	9,473	1.6	
Interstate Corridor	15,100	1,105	22,696	23,800	2.6	
Lents-Foster	17,800	2,936	18,520	21,457	2.2	
MLK-Alberta	15,000	701	7,104	7,805	1.5	
Montavilla	14,000	2,066	9,639	11,705	1.8	
Northwest	14,400	721	5,929	6,650	1.5	
Parkrose-Argay	5,700	759	3,369	4,128	1.7	
Pleasant Valley	4,000	2,702	560	3,262	1.8	
Raleigh Hills	7,800	2,055	1,737	3,792	1.5	
Roseway-Cully	14,100	1,392	3,710	5,103	1.4	
Sellwood-Moreland-Brooklyn	7,900	476	3,508	3,984	1.5	
South Portland-Marquam Hill	4,700	698	3,150	3,848	1.8	
St. Johns	12,400	1,361	5,637	6,997	1.6	
Tryon Creek-Riverdale	3,400	837	0	837	1.2	
West Portland	4,800	478	1,378	1,856	1.4	
Woodstock	13,800	1,766	3,323	5,090	1.4	
Outside Study Area	2,366	285	1,625	1,910	1.8	
<b>TOTALS</b>	<b>267,307</b>	<b>35,068</b>	<b>198,376</b>	<b>233,443</b>	<b>1.9</b>	

#### 4. Residential Development Capacity Summary (cont.)

**Table 9. Estimated Residential Capacity by Housing Type, by Area (Assumes Current Comprehensive Plan)**

Analysis Zone	SFR				MFR				Total Units			
	SFR Houses	Small Lots	Attached Medium Density	Attached High Density	Plexes	Corridor Apts	Studio Apts	Mixed Use				
122nd-Division	1,998	983	1,204	211	1,516	2,014	603	973	1,598	178	0	11,277
Belmont-Hawthorne-Division	786	387	294	352	788	875	30	4,519	680	76	0	8,787
Centennial-Glenfair-Wilkes	959	594	875	300	1,446	2,867	506	1,215	2,831	315	0	11,908
Central City	0	3	25	83	177	575	5,471	1,319	3,776	727	20,313	32,468
Forest Park-Northwest Hills	897	196	66	0	74	0	0	0	0	0	0	1,233
Gateway	939	717	1,042	604	1,765	7,335	511	4,367	13,081	2,408	3,224	35,94
Hayden Island-Bridgeton	181	149	162	207	364	1,008	741	2,551	0	0	0	5,363
Hillsdale-Multnomah-Barbur	871	320	273	132	429	752	384	1,414	292	32	0	4,900
Hollywood	369	207	215	271	608	1,423	320	3,177	2,015	351	539	9,496
Interstate Corridor	296	197	480	596	1,940	6,076	132	2,772	9,192	1,383	759	23,822
Lents-Foster	1,517	796	693	408	1,326	3,913	1,575	4,327	4,944	1,021	943	21,463
MLK-Alberta	321	218	260	182	587	1,437	332	1,847	1,967	369	308	7,828
Montavilla	683	506	600	399	1,139	1,973	710	4,334	1,188	156	0	11,687
Northwest	357	106	98	149	428	967	88	1,626	1,864	345	629	6,657
Parkrose-Argay	291	313	480	88	512	959	765	654	68	0	0	4,130
Pleasant Valley	2,183	467	159	11	161	109	89	79	0	0	0	3,257
Raleigh Hills	1,484	369	210	70	299	434	165	618	249	28	0	3,925
Roseway-Cully	707	401	486	103	573	1,053	670	747	325	36	0	5,102
Sellwood-Moreland-Brooklyn	225	124	115	137	317	683	202	1,516	555	114	0	3,987
South Portland-Marquam Hill	272	135	178	132	396	569	35	1,414	633	116	0	3,879
St. Johns	390	219	268	206	611	1,321	252	1,892	1,490	356	0	7,004
Tryon Creek-Riverdale	710	129	0	0	0	0	0	0	0	0	0	839
West Portland	335	124	98	40	117	419	346	374	0	0	0	1,854
Woodstock	973	407	299	109	391	970	524	867	512	0	0	5,054
Outside Study Area	186	98	110	44	143	376	291	438	33	0	0	1,726
Grand Total	17,930	8,165	8,690	4,835	16,110	38,108	14,740	43,041	47,291	8,010	26,714	233,635 <sup>exhibit A.6</sup>
	8%	3%	4%	2%	7%	16%	6%	18%	20%	3%	11%	

#### 4. Residential Development Capacity Summary (cont.)



## 5. Employment Capacity Analysis

### **Step 1: Gross Development Potential**

The employment capacity analysis uses the same approach as the residential capacity analysis and looks at the difference between existing and allowed development to determine the remaining development capacity under the current comprehensive plan. The first step to inventory buildable land is a relatively straight forward process to identify vacant sites or land utilizing tax assessment data, Metro's vacant land inventory, and verification process utilizing aerial photos and field checking. Parcels under 0.5 acres were not considered viable for industrial uses and parcels less than 1,500 square feet were not considered viable for commercial development.

There is a more complicated process to identify developed parcels that are significantly under-developed or underutilized and are likely to redevelop. Similar to the residential capacity methodology, within the Central City, a parcel must have less than 20% of the allowed floor area and have an improvement-to-land ratio (I/L ratio) of less than 50%. Outside the Central City, parcels within 500 feet of a "frequent service" transit line are mapped as underutilized if they are using less than 20% of their allowed floor area (regardless of the improvement-to-land ratio). Improvement and land values are not as accurate or consistently recorded outside Portland's Central City, so they are not used in other parts of the City at this time. Frequent service transit lines are defined as bus and light rail lines that run every 15 minutes or better during weekday peak hours.

All other parcels are mapped as underutilized if they are using less than 10% of their allowed floor area (regardless of the improvement-to-land ratio).

For underutilized parcels that will redevelop, the existing building square footage is deducted from the zoned capacity so only the net new development capacity is counted.

Industrial-zoned parcels are limited to vacant parcels. Underutilized parcels are not included in this analysis because there are no FAR limits in the Portland industrial zones and industrial development tends to have lower building coverage with large areas for outdoor storage and vehicle maneuvering areas.

Institutional campuses warrant special consideration because their land use patterns are distinct from other employers. Medical and higher education institutions often tend to cluster all or a significant portion of their activity into campuses, requiring larger parcels or aggregations of parcels, developing land more intensively (e.g. with structured parking) and locating in a variety of zones other than commercial and industrial (such as residential). For the BLI, 17 individual campuses are identified and the development capacity is determined through an assessment of current land use approvals and base zoning minus existing buildings.

## 5. Employment Capacity Analysis (cont.)


### Employment Geographies

The employment geographies are subareas of the city that represent types of business districts (Table 10). Each “employment land geography” represents (1) a collection of established business districts by type that reflects business location preferences (agglomeration) and community location preferences (comprehensive plan); (2) a segment of citywide demand for employment land, consisting of a distinct mix of business sectors and building types; and (3) a segment of the city’s current developable land supply. These employment geographies are summarized into four larger aggregate categories of: Central City, industrial, commercial, and institutional. There is residential geography that is primarily associated with institutional uses occurring in residential areas, home occupations, non-conforming uses and ancillary employment with open space areas (ranging from golf courses to public parks), however, because most of these uses are located on land for residential uses we do not calculate an employment capacity for these areas.

In some cases, a separate estimate for the Harbor Access Lands subarea is shown, which is a subarea of the Columbia Harbor employment geography that represents the working waterfront along the Willamette and Columbia rivers.

**Table 10. Employment Geographies**

Category	Employment Geography
Central City	Central City Commercial
	Central City Incubator
	Columbia Harbor
	Harbor Access Lands
Industrial	Columbia East (east of 82nd Ave)
	Dispersed Industrial
	Gateway Regional Center
	Town Centers
Commercial	Neighborhood Commercial
	Institutional Campuses
Institutions	Institutions
	Portland city boundary



## 5. Employment Capacity Analysis (cont.)

### Step 2: Employment Constraints

As with the residential constraints, each constraint is defined and mapped and a discount factor is determined to reflect the degree of impact each constraint has on development. The discount factor is determined in a two-step process. The first step is characterizing the constraint as high, medium, or low based on consultation with the City of Portland's development review staff at the Bureaus of Development Services, Transportation, Water, and Environmental Services. Then this factor is adjusted based on a review of development rates of various constrained sites compared to unconstrained sites for the 1999-2011 period. This analysis included both the rate of development (avoidance) as well as the overall amount of development to determine the level of constraint. The constraint layers are grouped into six categories and sorted by geographic area.

For overlapping constraints, an additional discount factor of -10% is applied to sites with two overlapping constraints or -20% for sites with more than three constraints. Institutional campuses are not included in this adjustment factor because the master planning process to establish the development capacity has already factored most of these constraints.

**Table 11. Employment Constraint Factors**

Constraint	Adjusted Capacity	Constraint	Adjusted Capacity
<b>Environmental</b>		<b>Historic Landmarks</b>	
Central City	75%	Central City	55%
Industrial	50%	Industrial	55%
Commercial	35%	Commercial	55%
<b>Infrastructure</b>		<b>Low Level</b>	
Central City	75%	Central City	85%
Industrial	75%	Industrial	85%
Commercial	75%	Commercial	85%
<b>Brownfields</b>		<b>Greenway</b>	
Central City	90%	Central City	75%
Industrial	40%	Industrial	50%
Commercial	50%	Commercial	55%

Source: E.D. Hovee & Company, LLC and Bureau of Planning and Sustainability

## 5. Employment Capacity Analysis (cont.)

---

### Step 3: Adjustments

The capacity is reduced to account for constraints such as infrastructure, brownfields, and natural resources protections. We also reduce the capacity if the site is likely to be developed as a mixed-use employment/residential building by discounting the portion of building space that would be residential space based on past development trends. The development capacity is also adjusted for market factors in some areas to reflect zoned capacity that is more than is currently being developed or expected to be developed in the foreseeable future.

### Mixed-Use Zoning Allocation

Most of our commercial land use zones allow residential uses and over the last 15 years Portland has seen a significant amount of mixed-use, residential development in these areas, especially in the Central City. Therefore, we assume a certain amount of the development capacity in these commercial areas will develop as residential space and therefore not available for employment uses. The residential share is based on a review of building permit activity in commercial corridors from 2002-2008.

**Table 12. Mixed Use Zoning Residential Share Factors**

Comprehensive Plan Designation	Residential Share	Central City Residential Share
EX Central Employment	75%	63%
CX Central Commercial	55%	40%
UC Urban Commercial	75%	40%
CG General Commercial	25%	40%
NC Neighborhood Commercial	30%	40%
IR Institutional Residential	5%	78%
ME Mixed Employment	0%	63%

Source: Bureau of Planning and Sustainability

## 5. Employment Capacity Analysis (cont.)

---

### *Market Development Rates*

This factor adjusts the land supply to reflect market supportable building capacity for commercial areas outside the Central City where the capacity allowed by zoning is greater than what the private market is expected to develop. For example, most town centers and commercial corridors allow for up to 3:1 floor-to-area ratios (FARs). Even after some of the floor area is allocated to residential space (see above), the commercial space is greater than what the private sector typically develops. While future market conditions are difficult to predict, we want to use a conservative estimate and these market factors are consistent with the FARs used in the employment demand forecast.

**Table 13. Commercial FAR Market Factor**

Employment Geography	Commercial FAR Cap
Gateway Regional Center	0.95
Town Centers	0.54
Neighborhood Commercial	0.52

Source: E.D. Hovee & Company, LLC

A review of development trends in the Central City shows that most development incorporates floor area bonuses that exceed the base standards in the BLI, therefore no market factor is needed in the Central City. The development capacity of industrial areas is not regulated by FARs so no factor is needed. The Institutional campus capacity has been determined by the campus master plan process, so the market factor does not apply.

## 5. Employment Capacity Analysis (cont.)

### Employment Capacity Results

Our employment development capacity is about 101 million square feet, which is distributed across the different employment geographies.

**Table 14. Summary of Employment Development Capacity**

Aggregate Geography	Share
Central City	36%
Industrial	21%
Commercial	32%
Institutions	10%
Total	100%

Source: Bureau of Planning and Sustainability

The employment land supply is presented in three stages - the base supply (vacant and underutilized parcels), the constrained supply, and the (final) adjusted market supply.

We have about 3,200 acres of buildable land (Table 14). Approximately 63% of the development capacity is vacant land and 37% is underutilized redevelopable land. Various constraints reduce the capacity by about 25%, especially in our industrial areas, which have about 2,000 acres of vacant land, but 40% of that capacity is constrained, leaving about 1,250 acres available for future employment growth.

The commercial areas outside the Central City have a tremendous amount of development capacity. Even after accounting for constraints, mixed use residential development, and market factor adjustments there is still about 33 million square feet or 1,100 acres. Institutional campuses have the potential for about 10.7 million square feet of development, or 300 acres of capacity.

## 5. Employment Capacity Analysis (cont.)

**Table 15. Employment Development Capacity by Employment Geography**

Employment Geography	Base Supply		Constrained Supply		Market Adjusted Supply	
	Bldg Sq Ft	% of Base	Bldg Sq Ft	% of Base	Bldg Sq Ft	% of Base
Central City Commercial	52,916,000	35,293,000	67%	35,293,000	67%	149
Central City Incubator	3,871,000	2,150,000	56%	2,150,000	56%	40
Columbia Harbor	21,875,000	13,031,000	60%	13,031,000	60%	855
<i>Harbor Access Lands</i>	<i>5,138,000</i>	<i>1,435,000</i>	<i>28%</i>	<i>1,435,000</i>	<i>28%</i>	<i>94</i>
Columbia East of 82nd	11,242,000	6,868,000	61%	6,868,000	61%	394
Dispersed Industrial	3,220,000	1,713,000	53%	1,713,000	53%	112
Gateway Regional Center	12,596,000	9,797,000	78%	5,568,000	44%	135
Town Centers	7,560,000	5,858,000	77%	2,109,000	28%	90
Neighborhood Commercial	130,313,000	96,434,000	74%	25,323,000	19%	1,118
Institutions	10,703,000	10,676,000	100%	10,676,000	100%	306
<b>Total</b>	<b>254,296,000</b>	<b>181,820,000</b>		<b>102,731,000</b>		<b>3,199</b>

### Aggregate Geography

Central City	56,787,000	37,443,000	37,443,000	189
Industrial	36,337,000	21,612,000	21,612,000	1,361
Commercial	150,469,000	112,089,000	33,000,000	1,343
Institutions	10,703,000	10,676,000	10,676,000	306
<b>Total</b>	<b>254,296,000</b>	<b>181,820,000</b>	<b>102,731,000</b>	<b>3,199</b>


Source: Bureau of Planning and Sustainability

## 5. Employment Capacity Analysis (cont.)

## **Buildable Lands Inventory Underutilized Capacity and Employment Constraints**

June 7, 2012 City of Portland | Bureau of Planning and Sustainability | Geographic Information System


*This work was supported, in part, by a grant from the Oregon Department of Land Conservation and Development.*  
The information on this map was derived from digital data-bases on the City of Portland Bureau of Planning and Sustainability GIS. Care was taken in the creation of this map but it is provided "as is". The City of Portland cannot accept any responsibility for error, omissions, or positional accuracy, and therefore there are no warranties which accompany this product. However, notification of any errors will be appreciated.



## 5. Next Steps


In 2012 Portlanders will weigh the costs and benefits of several different 25-year growth scenarios, and use that information to develop a preferred growth concept. Alternative scenarios are a tool used to explore ways the City might change its growth policies, development regulations and infrastructure investments to impact how and where the City grows over the next 25 years. The Bureau of Planning and Sustainability will produce a default scenario and three alternative scenarios, and after public discussion and refinement of the ideas, a “preferred scenario” will be selected to guide the future Comprehensive Plan update.

The **Default Scenario** is an estimate of the growth patterns we would likely see over the next 25 years without any regulatory or investment changes. In other words, how new jobs and housing would likely be distributed by 2035, if we follow our existing zoning and Comprehensive Plan. The Default Scenario is based only on the current land supply (the results of the BLI) and existing policies and planned investments, and does not recommend or explore choices we could make with the Portland Plan to move in a different direction. It will consider how the market will use the supply. For example, our existing plans have more capacity for growth than the likely market demand for housing, so the default scenario will state our assumptions about which areas will most likely be developed over the 25-year horizon. It will also consider how planned but not yet built infrastructure projects could impact land supply. The Default Scenario will be the starting point for consideration of other alternatives.



## Next Steps

**Other scenarios** will illustrate different choices - for example, should we rely on neighborhood infill and main street development, or should we have a more central-city-focused growth strategy? How intensive should development be in neighborhood hubs? Scenarios also allow us to test different sequences of growth or different investment options. For instance, should the Lloyd District be more fully developed before Gateway? How would a Barbur or Powell Boulevard light rail line impact growth patterns?



---

## For More Information

### About the Portland Plan:

[www.pdxplan.com](http://www.pdxplan.com)

Twitter: @PDXPlan | #PDXPlan

Facebook: [www.facebook.com/PDXPlan](http://www.facebook.com/PDXPlan)

### About the Buildable Lands Inventory:

[www.pdxplan.com/bli](http://www.pdxplan.com/bli)

[www.pdxplan.com/atlas](http://www.pdxplan.com/atlas)

### About the Comprehensive Plan Update:

[www.portlandonline.com/bps/compplan](http://www.portlandonline.com/bps/compplan)

### Staff Contacts:

Eric Engstrom | Bureau of Planning and Sustainability | Portland Plan Project Manager | 503-823-3329  
[eric.engstrom@portlandoregon.gov](mailto:eric.engstrom@portlandoregon.gov)

Tom Armstrong | Bureau of Planning and Sustainability | 503-823-3527  
[tom.armstrong@portlandoregon.gov](mailto:tom.armstrong@portlandoregon.gov)

Kevin Martin | Bureau of Planning and Sustainability | GIS Analyst | 503-823-7710  
[kmartin@portlandoregon.gov](mailto:kmartin@portlandoregon.gov)